


## Flo Grommet F46

Foster+Partners, 2012

A light fitting in aluminium and steel, to be mounted on surfaces like desks, shelves, etc. with an arm pivoting on its base by 120°. Its head rotates by 300°. Lighting source is 6w-LED, which you can switch on with one click for full light intensity, with two clicks for half light intensity.


The maximum energy absorption is 8W.





Product Name (code) Flo Grommet F46 (960) **TECHNICAL DATAS ♠** C€ Certificates Norms EN 60-598-1 (CEI 34-21) Light sources 1 x 6W-LED [3000K • 475lm] 230V (Europe) - 120V (USA - Japan) - 240V (UK) Available (fittings come with appropriate plug feeder) **Insulation Class** Ш **Protection Class** IP20 **Packaging** 0,024m<sup>3</sup> - 1,6Kg

Black Soft-touch Matt White Matt Red Matt Yellow Orange Matt Cyan Matt Green Bronze Gunmetal Brushed Nickel






## Flo Grommet F20

Foster+Partners, 2012

A light fitting in aluminium and steel, to be mounted on surfaces like desks, shelves, etc. with an arm pivoting on its base by 120°. Its head rotates by 300°. Lighting source is 6w-LED, which you can switch on with one click for full light intensity, with two clicks for half light intensity.

The maximum energy absorption is 8W.





TECHNICAL DATAS

Product Name (code) Flo Grommet F20 (962)

Certificates ( Certificates

Norms EN 60-598-1 (CEI 34-21)

Light sources 1 x 6W-LED [3000K • 475lm]

Available 230V (Europe) - 120V (USA - Japan) - 240V (UK)

(fittings come with appropriate plug feeder)

Insulation Class III

Protection Class IP20

Packaging **0,024m**<sup>3</sup> - **1,6Kg** 

Soft to:

















Black Soft-touch

Matt White Matt Red


Matt Yellow Matt Orange

Matt Cyan Matt Green

Metallic Bronze

Gunmetal

Brushed Nickel






## Flo Grommet for USM table

Foster+Partners, 2016


Light fitting in aluminium and steel especially designed for USM products, to be mounted on "Haller" or "Kitos" tables, or to be matched with USM adaptors. The arm pivots on its base by 120°, the head rotates by 300°. Lighting source is 6W-LED, which you can switch with one click for full light intensity, with two clicks for half light intensity.


The maximum energy absorption is 8W.





Product Name (code) Flo Grommet for USM (954) **TECHNICAL DATAS ♠** C€ Certificates Norms EN 60-598-1 (CEI 34-21) Light sources 1 x 6W-LED [3000K • 475lm] 230V (Europe) - 120V (USA - Japan) - 240V (UK) Available (fittings come with appropriate plug feeder) **Insulation Class** Ш **Protection Class** IP20 **Packaging** 0,024m<sup>3</sup> - 1,6Kg









## Flo Grommet L for USM table

Foster+Partners, 2016

Light fitting in aluminium and steel especially designed for USM products, to be mounted on "Haller" tables, thanks to a lamp peg. It comes with longer arms than the standard Flo Grommet (46 cm + 42 cm). The arm pivots on its base by 120°, the head rotates by 300°. Lighting source is 6W-LED, which you can switch with one click for full light intensity, with two clicks for half light intensity. The maximum energy absorption is 8W.





Product Name (code) Flo Grommet for USM/Large (956) **TECHNICAL DATAS** (iii) C € Certificates Norms EN 60-598-1 (CEI 34-21) Light sources 1 x 6W-LED [3000K • 475lm] 230V (Europe) - 120V (USA - Japan) - 240V (UK) Available (fittings come with appropriate plug feeder) **Insulation Class Protection Class** IP20 **Packaging** 0,024m<sup>3</sup> - 1,6Kg



