


PARKOUR.



werner works Vertriebs GmbH
Königsberger Straße 7-11
D-32339 Espelkamp

t. + 49.5772.201 0
f. + 49.5772.201 70

info@werner-works.de
www.werner-works.de

Form follows figure

werner**works**

parkour

design by Kinzo



Focus
B 140 | T 124.2 | H 227.3 cm

The 'parkour' product line re-interprets the cupboard interior. Like a parkour, the design of the cupboard interior follows the possible movement sequences in the office and develops its form from this. Human proportions dictate the figure - the booths are modulated accordingly and tailored to the specific needs in modern day-to-day office life.




Fonzelle
B 120 | T 64.2 | H 227.3 cm


The cupboard booths have been developed for various forms of communication in the office. They offer space for concentrated work, for undisturbed phone calls or discussions with another colleague, for a short coffee break for two, as a lounge for relaxation, or as a spontaneous meeting zone for project work.



Coffee niche
B 160 | T 64.2 | H 227.3 cm




The bandwidth of application scenarios for the new cupboard booths is multifarious: from wall sculptures that break up the cupboard monotony in corridors, for example, to room dividers that partition off meeting rooms or service points.



Lounge
B 180 | T 64.2 | H 227.3 cm





Diner
B 180 | T 124.2 | H 227.3 cm



With heights and depths corresponding to the werner works standard range of cupboards, the booths become a central reference point in the office when combined with the 'lockers' or cloakroom cupboards. The back of the booths can also be activated. As a whiteboard, magnetic surface or pinboard, the finished back panel becomes an action surface.

Ice float
B 140 | T 64.2 | H 227.3 cm



Blazer


camira



Dartmouth
CUZ2Q




Stanford
CUZ2R



Eynesbury
CUZ2W



Fairfield
CUZ47



Barlborough
CUZ3D



Wesley
CUZ82



St Andrews
CUZ86



Oriel
CUZ18



Barnard
CUZ2S



Handcross
CUZ63



Goldsmith
CUZ39



Trevelyan
CUZ31



Magdalene
CUZ21



Wellington
CUZ13



Kingsmead
CUZ67



Holyoke
CUZ2T



Edge Hill
CUZ90



Penola
CUZ2X



Tyndale
CUZ2Y



Woodcroft
CUZ2Z



Dunhurst
CUZ58



Latymer
CUZ33



Newport
CUZ1L




Aston
CUZ02



Ulster
CUZ1F



Bryanston
CUZ53



Montcrest
CUZ3A




Camphill
CUZ1K




Cardiff
CUZ1N



Abertay
CUZ3B



Glasgow
CUZ1M



Winchester
CUZ12



Hull
CUZ1P


Photographic fabric scans are not color accurate. Always request actual fabric samples before ordering.




Plymouth
CUZ1R




Sheffield
CUZ1T



Scottsdale
CUZ3E



Marymount
CUZ3C




Vassar
CUZ2U



Manchester
CUZ1V




Silverdale
CUZ28




Knightsbridge
CUZ26



Newcastle
CUZ1W



Surrey
CUZ1E



Edinburgh
CUZ1Y




Aberlour
CUZ1J



Silcoates
CUZ30



Oxford
CUZ09



Glenalmond
CUZ62



Bromsgrove
CUZ35



Napier
CUZ08



Blazer is a classic pure new wool upholstery fabric with a billiard cloth felted finish. It is made from premium New Zealand lambswool, where responsible farming provides the highest quality raw material which is soft, clean and bright, which is ideal for spinning, weaving and dyeing. The color palette is an exciting mix of solids and mélanges across the full color spectrum, creating a versatile fabric suitable for wide-ranging furniture applications.



Blazer meets the ACT voluntary Performance Guidelines and is classified for Heavy Duty Upholstery.



Technical information

EN
Composition 100% Pure New Wool Non metallic dyestuffs
Environmental Rapidly renewable and compostable
Width 54 inches minimum
Weight 13 ^{1/2} oz/sq yd ±5% (20 ^{1/4} oz/running. yd ±5%)
Abrasion Resistance* ASTM D4157 Wyzenbeek method, Heavy Duty Upholstery Independently certified to ≥75,000 double rubs Covered by a full and comprehensive 10 year guarantee (full details available)
Flammability California Technical Bulletin 117 - 2013 NFPA 260 + UFAC Class 1 BS 7176 Low Hazard ASTM E84 Class 1 or A (Adhered) ASTM E84 Class 1 or A (Un-adhered) NFPA 701 when FR treated <i>Note: Flammability performance is dependent on components used. Our certificates show what substrates have been used in our tests. For composite tests customers must ensure their complete furniture meets the necessary standards.</i>
Color Fastness to Light AATCC-16 (40 hours) Class 4
Color Fastness to Crocking AATCC-8 (Dry: 4, Wet: 3)

Cleaning W/S Clean with a water-based cleaning agent or solvent: Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

*Camira recognizes that the number of Wyzenbeek double rubs do not reflect the actual wear performance of fabrics. We're so confident in the durability of our products that we provide a robust 10 year guarantee (full details available). This product is externally certified, details of which are on our website and available from our customer services team.

Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited.

F
Composition 100% Laine Vierge Teintures non métalliques
Écologique Rapidement renouvelable et compostable
Largeur 54 pouces minimum
Poids 13 ^{1/2} oz/sq yd ±5% (20 ^{1/4} oz/lin. ±5%)
Résistance à l'abrasion* ASTM D4157 Wyzenbeek method, Heavy Duty Upholstery Certificat indépendant ≥75,000 double frottement Avec une garantie totale de durabilité de 10 ans (renseignements complémentaires disponibles)
Flammabilité California Technical Bulletin 117 - 2013 NFPA 260 + UFAC Class 1 BS 7176 Low Hazard ASTM E84 Class 1 or A (Adhered) ASTM E84 Class 1 or A (Un-adhered) NFPA 701 si traitement FR <i>Notez: La performance de flammabilité dépend des composantes utilisées. Nos certificats indiquent les substrats utilisés dans nos tests. Pour les tests composites, les clients doivent s'assurer que leurs meubles complets satisfont aux normes nécessaires.</i>
Solidité à la Lumière AATCC-16 (40 heures) Class 4
Solidité à la Crocking AATCC-8 (Sec: 4, Mouillé: 3)

Nettoyage W/S Nettoyer avec un produit d'entretien à base d'eau: en fonction de la tâche, vous pouvez nettoyer à sec, à l'aide d'un détergent ou bien avec du shampooin pour meubles.
--

*Camira reconnaît que le nombre de Wyzenbeek double frottement ne reflète pas la performance de l'usure réelle des tissus. Nous sommes tellement confiants dans la pérennité de nos produits que nous offrons une garantie solide de 10 ans (plus de détails disponibles). Cette gamme est certifiée externe, vous pouvez d'ailleurs trouver plus de détails sur notre site internet ou en contactant un membre de notre Service Clients.

Une variation de couleurs peut provenir (commerciallement tolérable). Nous réservons le droit de changer les spécifications techniques sans préavis. Les Droits de Conception non-enregistrés et les droits d'auteur de tous les motifs sont la propriétés exclusives de Camira Fabrics Limited.

ES
Composición 100% Lana Virgen Tintes no metálicos
Ambiental Rapidamente renovable y compostable
Ancho 54 pulgadas mínimo
Peso 13 ^{1/2} oz/sq yd ±5% (20 ^{1/4} oz/lin.y ±5%)
Resistencia a la abrasión* ASTM D4157 Wyzenbeek method, Heavy Duty Upholstery independientemente del certificado de ≥75,000 rozamiento doble Con garantía total de uso 10 años (más información disponible bajo consulta)
Inflamabilidad California Technical Bulletin 117 - 2013 NFPA 260 + UFAC Class 1 BS 7176 Low Hazard ASTM E84 Class 1 or A (Adhered) ASTM E84 Class 1 or A (Un-adhered) NFPA 701 estando con tratamiento FR <i>Nota: El rendimiento de la inflamabilidad depende de los componentes usados. Nuestros certificados muestran qué substratos se han usado en nuestros tests. Para tests compuestos nuestros clientes deben asegurar si sus muebles cumplen la normativa al uso.</i>
Solidez a la Luz AATCC-16 (40 horas) Class 4
Solidez al Rozamiento AATCC-8 (Seco: 4, Húmedo: 3)

Limpeza W/S Lavar con un producto de limpieza neutro o solvente: en funcion de la sucieda o mancha, se puede limpiar con un producto de limpieza en seco, espuma templada o producto de limpieza de sofás.

*Camira reconoce que el número de Wyzenbeek doble frota no refleja el rendimiento real del desgaste de los tejidos. Estamos tan seguros de la durabilidad de nuestros tejidos que ofrecemos una garantía íntegra de 10 años (los detalles completos están disponibles). Esta gama está certificada externamente, todos los detalles están disponibles en nuestra web y en el departamento de atención al cliente.

Se reserva el derecho de modificar las especificaciones técnicas sin previo aviso. Los derechos sobre dibujos no registrados y los derechos de autor sobre todos los dibujos son propiedad exclusiva de Camira Group Inc.

Synergy

camira



Congregate
LDS83



Affinity
LDS74



Fate
LDS07



Venture
LDS05



Mutual
LDS84



Likeness
LDS82



Work
LDS73



Fellowship
LDS66



Share
LDS85



Similar
LDS81



Contribution
LDS75



Compose
LDS72




Warmth
LDS67



Global
LDS86



Apt
LDS80



Success
LDS76



Open
LDS71



Collaborate
LDS68




Values
LDS87




Combo
LDS77



Medley
LDS36



Process
LDS88




Amiable
LDS79



Cordial
LDS78



Together
LDS70



Sync
LDS69

Photographic fabric scans are not color accurate. Always request actual fabric samples before ordering.



Huddle
LDS65




Support
LDS55




Regard
LDS54



Summon
LDS45



Order
LDS64



Kinship
LDS56



Pact
LDS53



Gather
LDS46



Relate
LDS44



Guild
LDS63



Engage
LDS57



Comply
LDS52



Integrate
LDS47



Lateral
LDS28



Family
LDS58




Kindness
LDS51



Interfuse
LDS48



Alike
LDS62



Group
LDS59



League
LDS50




Append
LDS49




Marry
LDS43




Assemble
LDS61



Accord
LDS60



Couple
LDS41



Intertwine
LDS42


Photographic fabric scans are not color accurate. Always request actual fabric samples before ordering.



Loop
LDS18



Bracket
LDS23



Chain
LDS19



Chemistry
LDS35



Affix
LDS32



Serendipity
LDS08



Frame
LDS22



Tag
LDS33



Partner
LDS16



Level
LDS20




Team
LDS21



Linea
LDS37



Unity
LDS38



Pair
LDS31



Bond
LDS24




Collective
LDS39




Mix
LDS17



Hook
LDS29




Compound
LDS25




Co-operate
LDS40



Bridge
LDS26



Wed
LDS34




Seek
LDS27



2+2 = 75. Where the total is more than the sum of the parts. Say hello to Synergy, a soft handle wool blend fabric, featuring exquisite fiber dyed shades and sumptuous piece dyed solids. It all comes together to provide our largest color offering of 75 intelligent shades.

We have partnered with Just A Drop, the international water aid charity, and for every yard of fabric we sell, we will make a donation to a specific project around the world, helping to provide clean and safe water to those in need.



Technical information

EN
Composition 95% Pure New Wool, 5% Nylon
Environment Certified to the EU Ecolabel Certified to Indoor Advantage™ Gold
Width 54 inches minimum
Weight 11 ^{3/4} oz/sq yd ±5% (17 ^{3/4} oz/running yd ±5%)
Abrasion Resistance* D4966 Martindale method, Heavy Duty Upholstery Independently certified to ≥100,000 cycles Covered by a full and comprehensive 10 year guarantee (full details available)
Flammability California Technical Bulletin 117 - 2013 NFPA 260 + UFAC - Class 1 BS 7176 Low Hazard Optional please specify when ordering: ASTM E84 Class 1 or A (Adhered) when FR treated ASTM E84 Class 2 or B (Un-adhered) when FR treated <i>Note: Flammability performance is dependent on components used. Our certificates show what substrates have been used in our tests. For composite tests customers must ensure their complete furniture meets the necessary standards.</i>

Color Fastness to Light AATCC-16 (40 hours) Class 4
Color Fastness to Crocking AATCC-8 (Dry: 4, Wet: 3)
Cleaning W/S Clean with a water-based cleaning agent or solvent: Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

*Camira recognizes that the number of Martindale cycles do not reflect the actual wear performance of fabrics. We're so confident in the durability of our products that we provide a robust 10 year guarantee (full details available). This product is externally certified, details of which are on our website and available from our customer services team.
Multiple factors affect fabric durability and appearance retention, including end-user application and correct maintenance. Results above 100,000 cycles have not been shown to be a reliable indicator of increased fabric lifespan.
Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited.

F
Composition 95% Pure Laine Vierge, 5% Nylon
Écologique Avec le certificat EU Ecolabel Certifié à Indoor Advantage™ Gold
Largeur 54 pouces minimum
Poids 11 ^{3/4} oz/sq yd ±5% (17 ^{3/4} oz/yd.lin ±5%)
Résistance à l'abrasion* D4966 Martindale method, Heavy Duty Upholstery Certificat indépendant ≥100,000 cycles Avec une garantie totale de durabilité de 10 ans (renseignements complémentaires disponibles)
Flammabilité California Technical Bulletin 117 - 2013 NFPA 260 + UFAC - Class 1 BS 7176 Low Hazard Prière de le mentionner lors de la commande: ASTM E84 Class 1 or A (Adhered) si traitement FR ASTM E84 Class 2 or B (Un-adhered) si traitement FR <i>Notez: La performance de flammabilité dépend des composantes utilisées. Nos certificats indiquent les substrats utilisés dans nos tests. Pour les tests composites, les clients doivent s'assurer que leurs meubles complets satisfont aux normes nécessaires. .</i>

Solidité à la Lumière AATCC-16 (40 heures) Class 4
Solidité à la Crocking AATCC-8 (Sec: 4, Mouillé: 3)
Nettoyage W/S Nettoyer avec un produit d'entretien à base d'eau: en fonction de la tâche, vous pouvez nettoyer à sec, à l'aide d'un détergent ou bien avec du shampooin pour meubles.

*Camira reconnaît que le nombre de Martindale cycles ne reflète pas la performance de l'usure réelle des tissus. Nous sommes tellement confiants dans la pérennité de nos produits que nous offrons une garantie solide de 10 ans (plus de détails disponibles). Cette gamme est certifiée externe, vous pouvez d'ailleurs trouver plus de détails sur notre site internet ou en contactant un membre de notre Service Clients.
La durabilité d'un tissu et sa capacité à conserver son aspect sont affectées par divers facteurs, y compris son environnement d'installation et son entretien. Un résultat de 100 000 ou plus (Martindale) n'est pas un indicateur fiable quant à la longévité d'un tissu.
Une variation de couleurs peut provenir (commerciallement tolérable). Nous réservons le droit de changer les spécifications techniques sans préavis. Les Droits de Conception non-enregistrés et les droits d'auteur de tous les motifs sont la propriétés exclusives de Camira Fabrics Limited.


ES
Composición 95% Pura Lana Virgen, 5% Nylon
Ambiental Certificado con EU Ecolabel Certificado de Indoor Advantage™ Gold
Ancho 54 pulgadas mínimo
Peso 11 ^{3/4} oz/sq yd ±5% (17 ^{3/4} oz/lin.y ±5%)
Resistencia a la abrasión* D4966 Martindale method, Heavy Duty Upholstery independientemente del certificado de ≥100,000 ciclos Con garantía de uso 10 años (más información disponible bajo consulta)
Inflamabilidad California Technical Bulletin 117 - 2013 NFPA 260 + UFAC - Class 1 BS 7176 Low Hazard Por favor especificar cuando se requiere en el pedido: ASTM E84 Class 1 or A (Adhered) estando con tratamiento FR ASTM E84 Class 2 or B (Un-adhered) estando con tratamiento FR <i>Nota: El rendimiento de la inflamabilidad depende de los componentes usados. Nuestros certificados muestran qué substratos se han usado en nuestros tests. Para tests compuestos nuestros clientes deben asegurar si sus muebles cumplen la normativa al uso.</i>

Solidez a la Luz AATCC-16 (40 horas) Class 4
Solidez al Rozamiento AATCC-8 (Seco: 4, Húmedo:3)
Limpeza W/S Lavar con un producto de limpieza neutro o solvente: en funcion de la suciedad o mancha, se puede limpiar con un producto de limpieza en seco, espuma templada o producto de limpieza de sofás.


*Camira reconoce que el número de Martindale ciclos no refleja el rendimiento real del desgaste de los tejidos. Estamos tan seguros de la durabilidad de nuestros tejidos que ofrecemos una garantía íntegra de 10 años (los detalles completos están disponibles). Esta gama está certificada externamente, todos los detalles están disponibles en nuestra web y en el departamento de atención al cliente.
Muchos factores afectan la durabilidad y el aspecto del tejido, incluyendo el usuario final y el mantenimiento adecuado. Por encima de 100.000 ciclos de Martindale, no se ha demostrado que indique una mayor durabilidad de los tejidos.
Se reserva el derecho de modificar las especificaciones técnicas sin previo aviso. Los derechos sobre dibujos no registrados y los derechos de autor sobre todos los dibujos son propiedad exclusiva de Camira Group Inc.

Material + Farbe 05.13


UNIDEKOR



premiumweiß



weiß




weißgrau




lichtgrau




silber




steingrau



basaltgrau



graphit



schwarz

SOFTTOUCH-LACK UND MATTLACK RAL/NCS

HOLZDEKOR



Ahorn



Buche



Eiche hell



Kirschbaum Romana



Eiche grau

ECHTHOLZFURNIER



Ahorn



Buche



Eiche



Kirschbaum



Nussbaum



Eiche weißpigmentiert