


CHORS





Hello K

Luminaires designed for wall mounting, combining a general lighting module with a spotlight featuring an adjustable lens. A perfect solution for those looking for interesting bedside lighting ideas. When two circuits are used, both light sources can operate independently. Version A is equipped with an infrared switch. It's enough to move your palm closer to it to turn the light on or off.

APPLICATION: Basic, complementary, and spot lighting. Hello will work perfectly at establishments such as clubs, galleries, and hotels, but also as lighting for the office and home.



LUMINOUS FLUX INCLUDE LIGHT LOOSES BECAUSE OF THE LENS (8%)



	INDEX	SOURCE / OUTPUT	ENERGY GRADE	LUMINOUS FLUX	ANGLE	LIGHT COLOUR	DIMMING	POWER SUPPLY
HELLO L W	53.2101.J76.	LED 4,2 W + 6,4 W	A++	385 + 524 lm	>90° + 15° - 40°	2700 K CRI≥95	NO	230 V 50 Hz
HELLO L NW	53.2101.J77.	LED 4,2 W + 6,4 W	A++	420 + 570 lm	>90° + 15° - 40°	3000 K CRI≥95	NO	
HELLO L N	53.2101.J78.	LED 4,2 W + 6,4 W	A++	455 + 612 lm	>90° + 15° - 40°	4000 K CRI≥95	NO	
HELLO A L W	53.2105.J76.	LED 4,2 W + 6,4 W	A++	385 + 524 lm	>90° + 15° - 40°	2700 K CRI≥95	NO	230 V 50 Hz
HELLO A L NW	53.2105.J77.	LED 4,2 W + 6,4 W	A++	420 + 570 lm	>90° + 15° - 40°	3000 K CRI≥95	NO	
HELLO A L N	53.2105.J78.	LED 4,2 W + 6,4 W	A++	455 + 612 lm	>90° + 15° - 40°	4000 K CRI≥95	NO	
HELLO R W	53.2102.J76.	LED 4,2 W + 6,4 W	A++	385 + 524 lm	>90° + 15° - 40°	2700 K CRI≥95	NO	230 V 50 Hz
HELLO R NW	53.2102.J77.	LED 4,2 W + 6,4 W	A++	420 + 570 lm	>90° + 15° - 40°	3000 K CRI≥95	NO	
HELLO R N	53.2102.J78.	LED 4,2 W + 6,4 W	A++	455 + 612 lm	>90° + 15° - 40°	4000 K CRI≥95	NO	
HELLO A R W	53.2106.J76.	LED 4,2 W + 6,4 W	A++	385 + 524 lm	>90° + 15° - 40°	2700 K CRI≥95	NO	230 V 50 Hz
HELLO A R NW	53.2106.J77.	LED 4,2 W + 6,4 W	A++	420 + 570 lm	>90° + 15° - 40°	3000 K CRI≥95	NO	
HELLO A R N	53.2106.J78.	LED 4,2 W + 6,4 W	A++	455 + 612 lm	>90° + 15° - 40°	4000 K CRI≥95	NO	





All design and photographs are property of Chors. Copying of the content without a written consent from CHORS is strictly prohibited.

All photographs of the products for CHORS were taken by STROP Studio Fotograficzne.

Some of photographs from interior of lighting projects were taken by photographers:

Doroszczuk Fotografia Wnętrz

Fotomohito

Marek Swoboda

navarra.is

Pion Studio

Piotr Mizerski

Tom Kurek

Weronika Trojanowska

Yassen Hristov

Catalogue design by Studio Projektowe HUK.

Soltysowicka 19C street
51-168 Wrocław
Poland

tel: +48 71 323 14 00
e-mail: hello@chors.pl
www.chors.pl

CHORS