

Wilkhahn

Timetable. 610 range / 612 Smart / 614 Shift / 615 Lift.

+ Foldscreen. 609 range




Digital-brochure-610/612/614/615-
Timetable/Timetable Smart/Timetable Shift/Timetable Lift-02-SR-210308-1143

The Timetable family

– ideal as a mobile conference and seminar table...

Wilkhahn



When market conditions change dynamically, it's vital that furniture in agile workplaces can adapt. Then projects can be initiated on the spot, teams formed and processes of innovation accelerated. Thanks to its mobile Timetable family for multipurpose seminar, meeting, project and innovation spaces, Wilkhahn has revolutionized furniture in contemporary office environments. The range boasts first-class quality and compact and intuitive handling to foster engagement and a change in methods on the one hand and free up time and space on the other. Drawing on a wealth of experience from many international projects, Wilkhahn extended the classic Timetable and turned it into a comprehensive product family that offers solutions to meet all functional requirements in one top-notch, coherent design throughout.

Timetable 610 range with ultimate flexibility for settings users can configure themselves, design: Andreas Störiko, with stackable Neos cantilever chairs, design: wiege.

with Foldscreen

... or in flexible pop-up offices.

Wilkhahn



And what's more, with the attachable and retractable Foldscreen table-panel system, all models can be transformed spontaneously into workspaces, exam tables or workbenches divided up into different zones that are sound absorbent and offer more privacy. The Timetable family is very versatile and compact to stow away. The ease with which it's configured encourages users to set it up themselves. As a result, it's the ideal table "tool" for agile workplaces that need to be adaptable, economical and as future-proof as possible.

610 range, design: Andreas Störiko, with IN office chairs, design: wiege and Foldscreen 609/12 and 609/13, design: Wilkhahn.



Timetable Lift 615/00 range, design: Andreas Störiko, with Foldscreen 609/10 and 609/11, design: Wilkhahn, with AT Mesh 187/71 task chair, design: Wilkhahn

Timetable. 610 range.


Wilkhahn



610 range, design: Andreas Störiko with Aline skid-base chair, 230/2, design: Andreas Störiko

Timetable – top-class design at every turn

The 610 range is flexibility at its best because the patented mechanism allows the table top to be flipped up in one easy step. The foot sections turn in automatically so that the tables are easy to wheel through narrow corridors, doors and elevators and can nest into one another neatly to save space. When the table top is flipped down again, the foot sections return automatically to a right angle until the table top locks in a horizontal position. All table formats come in depths of 60 cm (23 5/8") (for layouts in buildings where elected government assemblies sit) to 80 cm (31 1/2") (desk depth) and widths of 140 cm to 180 cm (55 1/8" to 70 7/8"). Optional table connectors allow the tables to be linked up for conferences in no time. And when the tables are configured in blocks, the fact that the table tops protrude over the frame at the sides means that people can sit at the ends too. By using the front and side panels from the Foldscreen system, the table formats in 70 cm depths x 140 cm widths (27 1/2" x 55 1/8") to 80 cm x 180 cm (31 1/2" x 70 7/8") widths can be turned into more sound-absorbent, private areas for people who need to concentrate more.



Timetable. 610 range.

Wilkhahn



610 range, design: Andreas Störiko with Aline skid-base chair, 230/2, design: Andreas Störiko, Confair lectern 448/9, design wiege, Fritz Frenkler, Justus Kolberg.

Timetable. 610 range.

Wilkhahn



610 range, Timetable configuration in a conference room that can be partitioned differently, design: Andreas Störiko, with ON cantilever chairs 178/7, design wiege.

Timetable. 610 range.

Wilkhahn




610 range, Timetable in a seminar configuration in a multipurpose room for meetings and presentations, design: Andreas Störiko, with Sito cantilever chairs 241/3, design: wiege.

Timetable. 610 range. Models and dimensions.

Wilkhahn

610/00 Timetable



140-180
55 1/8"-70 7/8"



60-80
23 5/8"-31 1/2"




140-180
55 1/8"-70 7/8"


73
28 3/4"

Width	Depth			
	60 23 5/8"	70 27 4/8"	75 29 4/8"	80 31 4/8"
140 55 1/8"	•	•	•	•
150 59"	•	•	•	•
160 63"	•	•	•	•
180 70 7/8"	•	•	•	•

• Available



Depth per table with legs
turned in 42 cm (16 1/2").
Only 10 cm (3 7/8") more for each
further table




140-180
55 1/8"-70 7/8"




42
16 9/16"

100-110
39 3/8"-43 5/16"




140-180
55 1/8"-70 7/8"




100
39 3/8"

105-110
41 5/16"-43 5/16"



140-180
55 1/8"-70 7/8"




104
40 15/16"

110
43 5/16"



140-180
55 1/8"-70 7/8"


42
16 9/16"



140-180
55 1/8"-70 7/8"

100
39 3/8"
9
3 9/16"
42
16 9/16"

table depth 60 - 75
23 5/8" - 29 4/8"



140-180
55 1/8"-70 7/8"


104
40 15/16"
9
3 9/16"
46
18 1/8"

table depth 80
31 4/8"

Timetable. 610 range. Models and dimensions.

Wilkhahn

610/15 Timetable



Depth

Width	70 27 4/8"	80 31 4/8"
-------	---------------	---------------




120/156 47 2/8" / 61 3/8"	•	–
120/161 47 2/8" / 63 3/8"	–	•

- Available
- Not available


Timetable. 610 range. Models and dimensions.

Wilkhahn

610/15 Timetable




161
63 3/8"



42
16 9/16"

114
44 7/8"



156
61 7/16"



42
16 9/16"

109
42 15/16"




161
63 3/8"

42
16 9/16"




156
61 7/16"

42
16 9/16"




161
63 3/8"




104
40 15/16"

114
44 7/8"




156
61 7/16"




104
40 15/16"

109
42 15/16"



161
63 3/8"

46
18 1/8"




156
61 7/16"

46
18 1/8"

Timetable. 610 range. Models and dimensions/Example configurations.


Wilkhahn

624
245 $\frac{5}{8}$ "



24 people,
Timetable
12 × 610/15, 120/161 × 80 (47 $\frac{1}{4}$ "/63 $\frac{3}{8}$ " × 31 $\frac{1}{2}$ ")

632
248 $\frac{3}{4}$ "




624
245 $\frac{5}{8}$ "

20 people,
Timetable
6 × 610/15, 120/161 × 80 (47 $\frac{1}{4}$ "/63 $\frac{3}{8}$ " × 31 $\frac{1}{2}$ ")
4 × 610/00, 160 × 80 (63" × 31 $\frac{1}{2}$ ")

Timetable. 610 range. Models and dimensions/Example configurations.

Wilkhahn



22 people,
Timetable
8 × 610/15, 120/161 × 80 (47 $\frac{1}{4}$ "/63 $\frac{3}{8}$ " × 31 $\frac{1}{2}$ ")
3 × 610/00, 160 × 80 (63" × 31 $\frac{1}{2}$ ")
1 × 610/00, 180 × 90 (70 $\frac{7}{8}$ " × 35 $\frac{3}{8}$ "),
Elliptical

Timetable. 610 range. Accessories and other items.

Wilkhahn



Integrated techni-station Basic



Integrated techni-station Basic



Single table portal Executive



Single table portal Executive



Integrated techni-station Rotate



Integrated techni-station Rotate




Single table portal Basic



Single table portal Basic



Integrated techni-station Move



Integrated techni-station Compact



Cable outlets



Socket strips



Table-table connectors 616, plastic



Techni-station Compact Add




Integrated techni-station Compact Duo

Please refer to the price list if you would like to integrate the techni-stations based on table models.

Timetable. 610 range. Technical details.

Wilkhahn



Design: Andreas Störiko

Function

Mobile table range with flip-top table tops and feet that turn in automatically in the process. For multi-use spaces designed for interactive and dynamic conference types in settings where people convene for meetings, workshops, projects, training courses and talks. When horizontal, the table top locks automatically and two pull rods fitted underneath release it to flip it up. The foot sections that turn in allow the tables to nest into one another very compactly and without staggered nesting at the sides. Ideal in combination with items from the Confair 440 range and panels from the Foldscreen 609 range.

Frame

Die-cast aluminum, bright chrome-plated or polished foot section. Uprights and underframes in tubular steel, coated in black or with a silver satin finish. Upright optionally available with bright chrome plating. Table top bearer in die-cast zinc, coated black. Lockable, height adjustable, swivel casters with a black polyamide tire are the standard version for carpeted floors; casters available with a polyurethane tire for hard floors (please specify when ordering).

Core material of table top

Plywood with bullnose or straight wood lipping all the way round and with an integrated impact-resilient profile made of black elastomer or with straight plastic lipping all the way round.

Table top group 1 – laminate

Table top thickness 26 mm

Variant 1

Laminate (single color) from the Wilkhahn color and surface samples with wood lipping, with a natural oiled finish or color-matched plastic lipping. Wood decor laminate from the Wilkhahn color and surface samples with color-matched plastic lipping.

Variant 2

Soft matte laminate from the Wilkhahn color and surface samples with wood lipping in natural oiled finish or color-matched plastic lipping. Anti-fingerprint, anti-reflective and soft-touch characteristics.

Table top group 2 – veneer

Table top thickness 26 mm

Variant 1

Beech, oak, or ash veneer (exception: natural ash not possible for chamfered lipping) from the Wilkhahn woodstain color samples with wood lipping, color-matched as far as possible with the veneer.

Variant 2

Maple (exception: no maple with a natural finish in the case of chamfered lipping), walnut or elm veneer from the Wilkhahn woodstain color samples with wood lipping, color-matched as far as possible with the veneer.

Veneer type

As a standard, the veneers are made by slip-match method. Surfaces sealed with clear lacquer: Open pore: Oak, ash, walnut and elm veneer closed-pore: Maple and beech veneer. Some specific growth features possible.

Modesty panels (underneath the table)

Aluminum frame, coated with a silver satin finish, in anthracite or covered with black fabric. Black polyamide handles.

Table-table connectors (optional)

Metal table-table connectors model 613: Two lockable circlips made of black coated sheet steel with four star-grip screws.

Edge profiles

Standard type: Bullnose with impact-resilient profile
Alternatively: Straight lipping with an impact-resilient profile
Straight plastic lipping

When placing repeat orders, please indicate whether your table tops have slip-matched or book-matched veneer.

Subject to change.

Timetable Smart. 612 range.

Wilkahn



Versatile Timetable Smart with lots of leg room

The exceptionally sturdy Timetable Smart can be used in all sorts of other areas, such as training rooms and project offices or hot desking. Because the two table columns are positioned at a maximum distance from one other, the two ends can only be used to a limited extent but the longer sides offer all the more leg room. The table top can also be locked both horizontally and vertically. Therefore, whether as impromptu single-desk workspaces or modular workbenches, Timetable Smart can be fitted with a plug and play power solution that can be continued from table to table. To ensure the table is stable enough, the foot section is always at a right angle and the pivoting mechanism with its horizontal pull rod helps stop incorrect handling. The 60 cm × 120 cm, 70 cm × 140 cm, 75 cm × 150 cm and 80 cm × 160 cm (23 5/8" × 47 1/4", 27 1/2" × 55 1/8", 29 1/2" × 59" and 31 1/2" × 50") formats are designed for cafeterias, training, examination and project rooms.

612 range, design: Andreas Störiko, with FS office chairs 211/8, design: Klaus Franck/Werner Sauer



Timetable Smart. 612 range.

Wilkhahn



612 range, design: Andreas Störiko, with stackable Neos cantilever chairs 183/3, design: wiege

Foldscreen's attachable and retractable front and side panels quickly turn the compact Timetable Smart tables (from 70 cm × 140 cm (27½" × 55⅛")) into full workspaces that offer privacy and muffle sound. In addition to the Foldscreen front and side panels, which are either optionally 40 cm (15¾") or 50 cm (19⅝") in height and mounted at table top height, there are also panel models fitted to the table surface that provide privacy underneath the table (panel height then totals 70 cm (27½") or 80 cm (31½")).



Timetable Smart. 612 range.

Wilkhahn



Timetable Smart 612 range for seminars, design: Andreas Störiko) with Neos cantilever chairs, design: wiege.

Timetable Smart. 612 range.

Wilkhahn



Timetable Smart 612 range in a project room, design: Andreas Störiko, with Aline skid-base chairs, design: Andreas Störiko.

Timetable Smart. 612 range.

Wilkhahn





Timetable Smart 612 range as a multi-use table in co-working spaces, design: Andreas Störiko, with office chairs from the FS-Line, design: Klaus Franck/Werner Sauer and Neos office chairs, design: wiege.

Timetable Smart. 612 range. Models and dimensions.


Wilkhahn

612/00 Timetable Smart





Width	Depth		
	60 23 5/8"	70 27 4/8"	75 29 4/8"
120 47 2/8"	•	–	–
140 55 1/8"	–	•	–
150 59"	•	–	•


• Available
– Not available



Depth per table 56 cm (22").
Only 12 cm (4 3/4") more for each
further table



Timetable Smart. 612 range. Example configuration.

Wilkhahn

20 people,
Timetable Smart
10 × 612/51, 150 × 60 (59" × 23 5/8")

Timetable Smart. 612 range. Accessories and other items.

Wilkhahn



Integrated techni-station Basic



Integrated techni-station Basic



Single table portal Executive



Single table portal Executive



Integrated techni-station Rotate



Integrated techni-station Rotate




Single table portal Basic



Single table portal Basic



Integrated techni-station Move



Integrated techni-station Compact



Cable outlets



Socket strips



Table-table connectors 616, plastic



Techni-station Compact Add




Integrated techni-station Compact Duo

Please refer to the price list if you would like to integrate the techni-stations based on table models.

Timetable Smart. 612 range. Technical details.

Wilkhahn



Design: Andreas Störiko

Function

Mobile table range with flip-top table tops, which lock automatically in a horizontal and vertical position. The models are a good choice for multi-use spaces designed for interactive and dynamic conference types in settings where people convene for meetings, workshops, projects, training courses and talks. The sturdy design and vertical locking mechanism make it particularly ideal for multipurpose spaces and for temporary workspaces with complex power solutions. A horizontal pull rod underneath the table flips it up. The integrated storage buffer allows staggered nesting of the tables at the sides. Ideal in combination with items from the Confair 440 range and panels from the Foldscreen 609 range.

Frame

Die-cast aluminum, bright chrome-plated or polished foot section. Uprights and underframes in tubular steel, coated in black or with a silver satin finish. Table top bearer in steel profile, draw rod in round steel tubing, coated black. Lockable, height adjustable, swivel casters with a black polyamide tire are the standard version for carpeted floors; casters available with a polyurethane tire for hard floors (please specify when ordering).

Core material of table top

Plywood with a bonded melamine resin surface with straight, color-matched wood lipping all the way round or optionally with plywood with bullnose or straight wood lipping all the way round and with an integrated impact-resilient profile made of black elastomer or with straight plastic lipping all the way round.

Table top group 1 – laminate

Table top thickness 26 mm

Variant 1

Laminate (single color) from the Wilkhahn color and surface samples with wood lipping, with a natural oiled finish or color-matched plastic lipping. Wood decor laminate from the Wilkhahn color and surface samples with color-matched plastic lipping.

Variant 2

Soft matte laminate from the Wilkhahn color and surface samples with wood lipping in natural oiled finish or color-matched plastic lipping. Anti-fingerprint, anti-reflective and soft-touch characteristics.

Table top group 2 – veneer

Table top thickness 26 mm

Variant 1

Beech, oak, or ash veneer (exception: natural ash not possible for chamfered lipping) from

the Wilkhahn woodstain color samples with wood lipping, color-matched as far as possible with the veneer.

Variant 2

Maple (exception: no maple with a natural finish in the case of chamfered lipping), walnut or elm veneer from the Wilkhahn woodstain color samples with wood lipping, color-matched as far as possible with the veneer.

Veneer type

As a standard, the veneers are made by slip-match method. Surfaces sealed with clear lacquer: Open pore: Oak, ash, walnut and elm veneer closed-pore: Maple and beech veneer. Some specific growth features possible.

Table top group 5 – direct coating

Table top thickness 25 mm
Bonded melamine resin surface in white, black, light gray or dark gray with color-matched plastic lipping.

Further finishes for the formats shown in the price list are available on request.

Modesty panels (underneath the table)

Aluminum frame, coated with a silver satin finish, in anthracite or covered with black fabric. Black polyamide handles.

Table-table connectors (optional)

Metal table-table-connectors model 613: Two lockable circlips made of black coated sheet steel with four star-grip screws and also optionally table-table connectors model 616 made of plastic: Two swivel-mounted circlips and 2 counterparts made of black, through-dyed, fiber-glass-reinforced polyamide with washers.

Edge profiles

Standard type: Bullnose with impact-resilient profile
Alternatively: Straight lipping with an impact-resilient profile
Straight plastic lipping
When placing repeat orders, please indicate whether your table tops have slip-matched or book-matched veneer.

Subject to change.

Timetable Shift. 614 range.

Wilkhahn



Thinking big with the Timetable Shift range

Timetable Shift's frame was designed for large formats and goes perfectly with Confair folding tables and Logon tables. A U-shaped aluminum profile connects the two table legs with the characteristic double uprights. The profile also acts as a spacious cable channel for any power supply modules that might be added to the table, which in this case would be possible in the center too. Similarly to Timetable Smart, robust hinges allow the table top to be flipped up and an easy-to-use draw rod locks the table top in a horizontal or vertical position. The Timetable Shift comes in modular, combinable formats of 80 cm x 150 cm to 105 cm x 210 cm (31½" x 59" to 41⅝" x 82⅝") as well as two barrel-shaped single formats. The applications are therefore limitless, from temporary work spaces, to tables for meetings or conferencing systems. And what's more, Timetable Shift offers completely new options for furnishing conference rooms that can be partitioned in combination with the matching folding Confair tables and static Logon table components, which can be connected and disconnected in no time at all.

614 range, Timetable Shift, design: Andreas Störiko
with Sito cantilever chairs, design: wiege

Timetable Shift. 614 range.

Wilkhahn



The Foldscreen system's front and side panels quickly turn right-angled table formats in 80 cm – 100 cm (31 ½" – 39 ¾") depths by 150 cm – 200 cm (59" – 78 ¾") widths into mobile workspaces in multi-use offices. They can be stowed away compactly and users will find them quick to set up.

614 range Timetable Shift in a versatile conference room (with Confair folding tables in the background), design: Andreas Störiko, with Sito cantilever chairs, design: wiege.

Timetable Shift. 614 range.

Wilkhahn





614 range Timetable Shift in a multipurpose space for project workspaces and conferences, with Sola task chairs, design: Justus Kolberg

Timetable Shift. 614 range. Models and dimensions.


Wilkhahn

614/00 Timetable Shift





Width	Depth			
	80 31 4/8"	90 35 3/8"	100 39 3/8"	105 41 3/8"
150 59"	•	•	—	—
160 63"	•	•	•	—
180 70 7/8"	—	•	•	•
200 70 7/8"	—	•	•	•
210 70 7/8"	—	•	•	•

- Available
- Not available




Depth per table 67 cm (26 3/8").
Only 20 cm (7 7/8") more for each
further table




All sizes in metric and imperial measurements.
Subject to change.

Timetable Shift. 614 range. Example configurations.

Wilkhahn




18 (22) people,
Timetable Shift
6 × 614/00, 210 × 105 (82 5/8" × 41 1/8")



21 (28) people,
Timetable Shift
7 (8) × 614/00, 210 × 105 (82 5/8" × 41 1/8")

Timetable Shift. 614 range. Technical details.

Wilkhahn



Design: Andreas Störiko

Function

Mobile table range with flip-top table tops, which lock automatically in a horizontal and vertical position. With an underframe connector, designed as a spacious cable channel, the models are a sound choice for multi-use spaces designed for interactive and dynamic conference types in settings where people convene for meetings, workshops and projects. The sturdy design and vertical locking mechanism mean it is suitable for multipurpose spaces, temporary workspaces and where power solutions need to be fitted in the middle. A horizontal pull rod underneath the table flips it up. The integrated storage buffers allow compact staggered nesting of the tables at the sides. Because the frame is virtually identical, it's perfect in combination with flip-top tables from the Confair 440 range and table systems from the Logon 620 range and further items from the Confair 440 range and panels from the Foldscreen 609 range.

Frame

Die-cast aluminum foot section, bright chrome-plated, polished or with a silver satin finish or black coating. Aluminum profile upright, clear anodized or silver satin finish, or black coating; in bright chrome-plated foot sections, coated in black. Upright optionally available with bright chrome plating. Aluminum profile underframe, with integrated cable channel, coated in silver satin finish or black depending on the foot section. Steel profile table top bearer. Round steel tubing draw rod, black or with a silver satin finish coating depending on the foot section. Lockable, height-adjustable polyamide swivel casters.

Standards

The Timetable Shift tables comply with the DIN EN 527 standard.

Core material of table top

Plywood with bullnose or straight wood lipping all the way round and with an integrated impact-resilient profile made of black elastomer or with straight plastic lipping all the way round.

Table top group 1 – laminate

Table top thickness 26 mm

Variant 1

Laminate (single color) from the Wilkhahn color and surface samples with wood lipping, with a natural oiled finish or color-matched plastic lipping. Wood decor

laminate from the Wilkhahn color and surface samples with color-matched plastic lipping.

Variant 2

Soft matte laminate from the Wilkhahn color and surface samples with wood lipping in natural oiled finish or color-matched plastic lipping. Anti-fingerprint, anti-reflective and soft-touch characteristics.

Table top group 2 – veneer

Table top thickness 26 mm

Variant 1

Beech, oak, or ash veneer (exception: natural ash not possible for chamfered lipping) from the Wilkhahn woodstain color samples with wood lipping, color-matched as far as possible with the veneer.

Variant 2

Maple (exception: no maple with a natural finish in the case of chamfered lipping), walnut or elm veneer from the Wilkhahn woodstain color samples with wood lipping, color-matched as far as possible with the veneer.

Veneer type

As a standard, the veneers are made by slip-match method. Surfaces sealed with clear lacquer: Open pore: Oak, ash, walnut and elm veneer closed-pore: Maple and beech veneer. Some specific growth features possible.

Modesty panels (underneath the table)

Aluminum frame, coated with a silver satin finish, in anthracite or covered with black fabric. Black polyamide handles.

Table-table connectors (optional)

Metal table-table connectors model 613: Two lockable circlips made of black coated sheet steel with four star-grip screws..

Edge profiles

Standard type: Bullnose with impact-resilient profile
Alternatively: Straight lipping with an impact-resilient profile
Straight plastic lipping.

When placing repeat orders, please indicate whether your table tops have slip-matched or book-matched veneer.

Subject to change.

Timetable Lift. 615 range.

Wilkhahn



The electrically height-adjustable Timetable Lift series redefines flexibility

Alternating between sitting and standing isn't just healthy in offices, it also fosters greater agility and interaction in collaborative spaces too. Which is why the Timetable Lift models take the mobility and flexibility of the Timetable principle to another dimension. At the touch of a button, the height can be adjusted electrically from 73 cm to 139 cm (28 3/4" to 54 3/4"), making the tables ideal for hot desking or scalable seminar, project, meeting and presentation tables where sit-stand options are fostered. The tables offer first-class design, are compact to stow away and wheel in if required. They can be set up in one easy step and set to the height required at the touch of a button. They are optionally battery operated, making them independent of the power supply. Furthermore, if Timetable Lift features table surfaces that can be written on and are also magnetic on request, it can be quickly flipped up and turned into a mobile projection screen and whiteboard. The 75 cm x 150 cm, 80 cm x 160 cm, 90 cm x 180 cm and 100 cm x 200 cm (29 1/2" x 59", 31 1/2" x 63", 35 3/8" x 70 7/8" and 39 3/8" x 78 3/4") table formats mean the tables can be used in all sorts of places, ranging from offices, seminar, innovations and project rooms. Thanks to the coordinated edge profiles and table and frame surfaces, they can be combined with all other Timetable models.


Timetable Lift. 615 range.

Wilkhahn



615/00 range Timetable Lift, design: Andreas Störko, with Foldscreen 609/10 and 609/11, design: Wilkhahn, with AT Mesh 187/71 task chair

For large formats, the Foldscreen system's fold-up and fold-down front and side panels attached to the table edges are ideal for people requiring more privacy and peace. If the table's used for meetings or as a white-board, the panels can be removed again in seconds.



Timetable Lift. 615 range.

Wilkhahn




615 range, Timetable Lift, design: Andreas Störiko, in a project workshop together with Stand-up stools, design: Thorsten Franck, and Sitzbocks, design RSW, and Confair pinboards, design: wiege, Fritz Frenkler/Justus Kolberg.

Timetable Lift. 615 range.

Wilkhahn



615 range, Timetable Lift, design: Andreas Störiko, with Stitz sitting-standing stools, design: ProduktEntwicklung Roehricht.



Teams can sit down while they're discussing the task at hand and switch from a standing to a presentation mode when it's time to collaborate by using the table's surface. With a magnetic whiteboard surface that can be written on, Timetable Lift turns into a versatile tool that encourages fitness, creativity and interaction. There's a starter kit with magnet holder, pens, a wiper, cleaning agent and magnets if the table top's used as a whiteboard. The power outlet and the optional battery box, which can be retrofitted at any time, are easy to access and compact to stash away in the mesh underneath the table top. Cordless operation means the table is independent of sockets and nobody trips up.

Timetable Lift. 615 range.

Wilkhahn



615 range, design: Andreas Störiko: Easy to store away and wheel to the position required, when used for project teams, Timetable Lift ensures that the number of workspaces and the layout can be adapted to suit what's required in no time. And by just pressing the flush-fitted button, the table's height is adjustable and also prompts people to alternate between sitting and standing too. The AT ESP (which stands for elevated seating position) office chair helps to integrate getting up intuitively into workflows, creating a unique combination of maximum flexibility and a state-of-the-art way of keeping people fit and healthy.





Timetable Lift with AT ESP office chair (ESP = elevated sitting position), design: Wilkhahn.

Timetable Lift. 615 range.

Models and dimensions / Example configurations.


Wilkhahn

615/00
Electrically height adjustable (73 –139 cm / 29³/₄" – 54³/₄")
Coated aluminium foot section,
coated uprights and underframes




Room depth per table 70 cm (27¹/₂").
Only 12 cm (4³/₄") more for each further table.

615/10
with board capability
electrically height-adjustable (73 –139 cm / 29³/₄" – 54³/₄")
white table top, can be written on with board marker
pens, can be used as a projection screen
Coated aluminium foot section,
coated uprights and underframes



Timetable Lift is available with table tops in the following
sizes: 75 × 150 cm, 80 × 160 cm, 90 × 180 cm, 100 × 200 cm
(29¹/₂" × 59", 31¹/₂" × 63", 35³/₈" × 70⁷/₈", 39³/₈" × 78³/₄").
The choice of frame and table top surfaces as well as lipping
taps into a wide range of design options and ensures it can
be combined perfectly with the other Timetable models.
It's ideal for project and seminar rooms, meeting and
conference spaces or executive offices.



	Depth			
	Width	75 (29 ¹ / ₂ ")	80 (31 ¹ / ₂ ")	90 (35 ³ / ₈ ") 100 (39 ³ / ₈ ")
150 (59")		•		
160 (63")			•	
180 (70 ⁷ / ₈ ")				•
200 (78 ³ / ₄ ")				•
• Available				

All sizes in metric and imperial measurements.
Subject to change.

Timetable Lift. 615 range. Accessories.

Wilkhahn



Whiteboard Pro set: The high-quality, magnetic felt pouch can be filled from both sides to accommodate pens, sponges and cloths or hung over the under-frame or the flipped-up table top.




The optional battery is just clipped into the holder underneath the table top.



Timetable Lift. 615 range. Technical details.

Wilkhahn



Design: Andreas Störiko

Function

Mobile table range with electric height adjustment (73 – 139 cm) so that people can switch between sitting and standing, optionally battery operated too. The flip-top table top locks automatically in a horizontal or vertical position. This makes it ideal for multi-use spaces designed for interactive and dynamic conference types in settings where people convene for innovation sessions, meetings, workshops or projects. At a maximum height of 139 cm, with the options of a surface that can be written and that's magnetic for use as a whiteboard and projection screen. A horizontal pull rod underneath the table flips it up. The integrated storage buffer allows staggered nesting of the tables at the sides. Ideal in combination with the other Timetable tables, with flip-top tables from the Confair 440 range and panels from the Foldscreen 609 range.

Frame

Aluminum foot section, bright chrome-plated, polished or with a silver satin finish or black coating. Electric telescopic column with an integrated sensor to stop items getting stuck in it. Uprights and crossways underframe in tubular steel, coated in black or with a silver satin finish. Table top bearer in steel profile, draw rod in round steel tubing, coated black. Lockable, height-adjust-

able, swivel casters with a black polyamide tire are the standard version for carpets; casters available with a polyurethane tire for hard floors (please specify when ordering). The electronic control, including a three-meter supply lead and a cable mesh, as well as the mount for the optional battery are optionally fitted underneath the table top.

Core material of table top

Plywood with bullnose or straight wood lipping all the way round and with an integrated impact-resilient profile made of black elastomer or with straight plastic lipping all the way round. With an integrated button to adjust the height.

Table top group 1 – laminate

Table top thickness 26 mm

Variant 1

Laminate (single color) from Wilkhahn's color and surface samples with wood lipping, natural oiled finish. Wood decor laminate from the Wilkhahn color and surface samples with color-matched plastic lipping.

Variant 2

Soft matte laminate from the Wilkhahn color and surface samples with wood lipping in natural oiled finish or color-matched plastic lipping. Anti-fingerprint, anti-reflective and soft-touch characteristics.

Table top group 2 – veneer

Table top thickness 26 mm

Variant 1

Beech, oak or ash veneer from Wilkhahn's woodstain color samples with wood lipping, color-matched as far as possible with the veneer.

Variant 2

Maple, walnut or elm veneer from the Wilkhahn woodstain color samples with wood lipping, color-matched as far as possible with the veneer.

Veneer type

As a standard, the veneers are made by slip-match method. Surfaces sealed with clear lacquer: Open pore: Oak, ash, walnut and elm veneer closed-pore: Maple and beech veneer. Some specific growth features possible.

Table top with whiteboard

Table top thickness 26 mm
White laminate with color-matched plastic lipping. Table top can be written on with board marker pens, dry wiped and used as a projection screen, optionally magnetic.

Further finishes for the formats shown in the price list are available on request.

Battery box

Compact and powerful lithium-ion battery with 2.2 AH capacity, allowing the table to be raised about 40 times after the battery has been fully charged. With an LED charge indicator and acoustic signal to indicate that recharging is required. With retrofittable charger.

Edge profiles

Standard type: bullnose with impact-resilient profile
Alternatively: straight lipping with an impact-resilient profile
Straight plastic lipping

Standards

The height-adjustable tables comply with the DIN 147 technical report and DIN EN 527, as well as the GS requirements.

When placing repeat orders, please indicate whether your table tops have slip-matched or book-matched veneer.

Subject to change.


Foldscreen. 609 range.

Wilkhahn



The fold-up and fold-down Foldscreen panel system – an ingenious option if more peace and quiet are required

The Timetable family might be used in the mornings for training sessions, at lunchtimes for conferences and in the evenings as hot-desking workspaces. It's difficult to think of any other table that is more future-proof or offers such flexibility. The modular Foldscreen range provides privacy and absorbs sound, making it an excellent choice for areas where people require their own space or need to concentrate more. What's so clever is that the Foldscreen modules aren't just simple to attach to and remove from the table top without any tools, but the hinges on the front panels and the ingenious, slot-in folding linkage strip on the folded down on the table top, locked onto the front panel and flipped up and flipped up with it as well. As a result, even with Foldscreens attached, the Timetable tables are still just as flexible. If required, the tables are perfect for pop-up offices and, with flipped-up table tops, they're compact to stow away, quick to wheel in and fold up in seconds. Whether used individually, or as part of a group or linked to form a modular workbench in conjunction with a Timetable, Timetable Smart, Timetable Shift or sit-to-stand Timetable Lift, the Foldscreen system has now turned the mobile table family into a champion in agile working environments.



Foldscreen. 609 range.

Wilkahn



The Foldscreen modules are pinnable on the front or back and 50% of the material they are made from is recycled. They come in a lightweight design made of dark gray, sound-absorbing and self-supporting PET acoustic fleece, which can optionally be covered in fabric. Although it can be folded, is lightweight and therefore very flexible to use, good sound absorbency levels (class C) are achieved and, in the category of panels up to 30 mm ($\frac{1}{8}$ ") thick, the results are exceptional. Depending the functions required and the table's proportions, the Foldscreen modules can be attached as front and side panels, which are 40 cm or 50 cm ($15\frac{1}{4}$ " or $19\frac{5}{8}$ ") in height, or as front and side panels attached at the back of the table or on the side edges, which offer an extra 30 cm ($11\frac{1}{4}$ ") privacy underneath the table top in both cases (total heights are then 70 cm ($27\frac{1}{2}$ ") and 80 cm ($31\frac{1}{2}$ ")). In the case of cable widths up to 160 cm (63"), the front panels are attached with two, and as of table widths from 180 cm ($70\frac{5}{8}$ "), with three quick-lock hinges to the table edge. The side panel also has a clamp that slots onto the table edge and a flexible, magnetic folding linkage strip that is inserted with magnets into the groove on the panels at the side. As a result, each table can be fitted with a retractable front panel or with an additional side panel on one or both sides. A 17 mm ($\frac{5}{8}$ ") distance between the panels and table surface remains so that cables can be placed on the table at all times, and, when connected behind the table surface, the distance to the table edge is 8 mm ($\frac{3}{8}$ ").



Foldscreen. 609 range.

Wilkhahn




610 range, design Andreas Störiko with IN office chairs, design wiege: Whether it's used for training sessions or pop-up offices, combined with Foldscreen, Timetable becomes a champion in agile working environments.

Foldscreen. 609 range. Models and dimensions.


Wilkhahn

Models 609/10




Front panels, retractable, table-mounted, with a magnetic connector on both sides to insert side panels, **privacy height 40 cm (15 3/4")** over the table, available for table widths of 140 cm to 200 cm (**55 1/8" to 78 3/4"**).

Models 609/12




Front panels, retractable, table-mounted, with magnetic fasteners on both sides to insert the side panels, **privacy height 50 cm (19 5/8")** over the table, for table widths from 140 cm to 200 cm (**55 1/8" to 78 3/4"**).

Models 609/11



Side panels, can be folded in, table-mounted, including hinge to connect with the front panel, can be used on the right and left, **privacy height 40 cm (15 3/4")** over the table, for table depths of 70 cm to 100 cm (**27 1/2" to 39 3/8"**).


Models 609/13



Side panels, can be folded in, table-mounted, including hinge to connect with the front panel, can be used on the right and left, **privacy height 50 cm (19 5/8")** over the table, for table depths from 70 cm to 100 cm. (**27 1/2" to 39 3/8"**).


Wilkhahn

Models 609/20




Front panels, retractable, mounted behind the table, with magnetic fasteners on both sides to insert the side panels, **privacy height 70 cm (27½")** (40 cm (15¾") over and 30 cm (11¾") below the table) for table widths of 140 cm to 200 cm (**55½" to 78¾"**).

Models 609/21




Side panels, can be folded in, mounted behind the table, including a linkage strip to connect with the front panel, can be used on the right and left, **privacy height 70 cm (27½")** (40 cm (15¾") over and 30 cm (11¾") below the table) for table depths of 70 cm to 100 cm (**27½" to 39¾"**).

Models 609/22



Front panels, retractable, mounted behind the table, with magnetic fasteners on both sides to insert the side panels, **privacy height 80 cm (31½")** (50 cm (19¾") over and 30 cm (11¾") below the table) for table widths of 140 cm to 200 cm (**55½" to 78¾"**).


Models 609/23



Side panels, can be folded in, mounted behind the table, including a linkage strip to connect with the front panel, can be used on the right and left, **privacy height 80 cm (31½")** (50 cm (19¾") over and 30 cm (11¾") below the table) for table depths of 70 cm to 100 cm (**27½" to 39¾"**).

Foldscreen. 609 range. Technical details.

Wilkhahn



Design: Wilkhahn

Function

A modular system of front and side panels that are pinnable on both sides. They can be fitted to and removed from the table top or table edge without any tools required. For mobile, flip-top desks or single folding tables, they provide effective privacy and help to shut out noise. Thanks to the hinged brackets integrated into the clamps on the front panels and the folding linkage strips that can be slotted into the optional side panels, the Foldscreen modules are easy to attach or remove from the flip-top table tops. As a result, when used flexibly in agile workspaces, these modules are very practical. When the table top is flipped up, they can be stored in a space-saving way, the tables can be wheeled in as required and the modules are just as quick to attach and remove. And because their distance to the table top (when table-mounted) is 17 mm or 8 mm to the edge of the table (when mounted at the rear of the table), adding power modules is flexible too. Therefore, Foldscreen is the perfect complement to highly flexible, mobile table ranges, such as the Timetable family or the mAx folding table (stand-alone tables). It acts as a privacy screen and reduces ambient noise effectively in (temporary) single-desk workspaces or is a flexible way of creating different zones for teams in block or row layouts (workbench).

Materials

Lightweight panels made of sound-dampening, self-supporting PET acoustic fleece, up to 50% of which is recycled material, available in an anthracite color, optionally also covered with fabric. Three-ply, 27-mm-thick sandwich structure (with integrated reinforcements where the clamps are positioned) for sound absorption class C. Pinnable on the front and on the back.

Front panels

Front panels with shadow grooves all the way round and magnets fitted to the sides to attach the side panels' flexible folding linkage strips. For up to 160 cm table widths with two, above that with three integrated clamps with hinged brackets made of steel, which keep the panel in an upright and stable position and allow it to be folded down by 90° onto the table top, optionally in black textured matte finish or coated with a silver satin finish, for attachment to bullnose or straight table edges for table tops from 25 mm to 30 mm thick.

Side panels

(Only in conjunction with front panels), in the same material, with steel clamp, to match the front panel in black with a textured matte finish or with a silver satin finish, to be attached to bullnose or straight table edges for table top thicknesses of 25 mm to 30 mm with a locking mechanism consisting of a stainless steel pin and a plastic clip. Thanks to the flexible and magnetic folding linkage strips, they can be inserted into the groove at the side and attached to the front panel on the right or left. The folding linkage strip is made of sound-absorbent PET acoustic fleece folded lengthwise, up to 50% of which has been recycled, it comes in an anthracite color and can be slotted into the front and side panel.


Depending on the amount of recycled material used to make it, there can be differences in the color and texture of the PET acoustic fleece. Fabric-covered versions ensure that the colors and textures are the same.

Subject to change.

Timetable/Timetable Smart/Timetable Shift/Timetable Lift.

610/612/614/615 range. Awards / standards / certificates.

Awards



Product certificates / product standards



DIN EN 527

Not all certificates / standards apply to all types.

Company's certificates, memberships



Environment and product

Space-saving, repair-friendly and easy to recycle

Using Timetable helps sustainably improve a building's eco footprint. Compared with the ecological costs of facility management, energy and maintenance of spaces that could be saved, the environmental impact of producing and recycling the furniture is virtually negligible. Furthermore, the table even fulfils all the typical requirements Wilkhahn makes regarding an ecologically responsible design concept:

- The design is timeless and doesn't copy what's currently in vogue. Its form and function are in perfect harmony. All components are screwed together and can therefore be repaired, replaced and dismantled at the end of a long product life. Most of them can then undergo a mono-fraction sorting procedure and be recycled.
- The materials used for the frame keep to exact dimensions and are sturdy. They offer a superb aesthetic and can be recycled. Some of the aluminum on the foot sections and the connecting underframe, the steel in the uprights and the stabilizing core and the zinc in the mechanism is already made of recycled materials and can be fully recycled afterwards too. The four lockable casters and the flip-top mechanism's guideways are made of very strong plastic and designed for maximum durability.
- The table top is made of E1 class particle board with wood lipping and can also be fully recycled. Natural materials like laminates and genuine wood veneers are used as surfaces. Veneered table tops are protected with water-based varnish low in solvent content. The integrated polypropylene impact-resilient profile protects the edges and prevents damage.

Just like its "big brother" (the flip-top table from the Confair range) the Timetable range uses an innovative concept that's ideal for compact use of space that enables huge ecological efficiencies and economies in office buildings over and above the ecological quality of the product itself.

You can find our environmental product information in our media center