



BuzziChandelier

220-240V

Product Specification Sheet

This document contains technical
information about the BuzziChandelier



www.buzzi.space

An eye-catching lighting solution

Make a statement with your lighting by opting for the BuzziChandelier.

A contemporary take on the classic chandelier. The perfect way to add atmosphere to your room with artful shadows and softened sounds. BuzziChandelier is an ideal design statement and acoustical solution for offices, restaurants, hotels, institutions, residences and more.

Design by Sas Adriaenssens

General



Ceiling Suspended

Cover in BuzziFelt



3 metal suspension cables

Powder coated metal frame in Black (RAL 9005)

Black fabric power cord

220-240V 50/60Hz Class 1



2G11 fitting

Max. 55 W



IP20 Dry usage



W Ø 78 cm H 75 cm

W Ø 30.71" H 29.53"



10,5 kg

27.56 lbs



Fixing System Screw with 3 cables of 2 m - 78.74" or 5 m - 196.85" in Black or Alu color



Assembled



If installing on suspended ceiling, verify load capacity prior to installation.

Certifications

CE

Acoustics



Absorption




Diffusion

Content

Configurations	3	Fabrics	5
Composition	4	Dimensions	6

Configurations

BuzziChandelier



Ceiling Suspended

Cover in BuzziFelt with push snaps



3 metal suspension cables

Powder coated metal frame in Black (RAL 9005)

Black fabric power cord



W Ø 78 cm H 75 cm

W Ø 30.71" H 29.53"




10,5 kg

27.56 lbs



Fixing System Screw with 3 cables of 2 m - 78.74" or 5 m - 196.85" in Black or Alu color

BuzziChandelier printed



Ceiling Suspended

Cover in OffWhite BuzziFelt printed (outside) in Gold, Emperador or Carrara with push snaps



3 metal suspension cables

Powder coated metal frame in Black (RAL 9005)

Black fabric power cord



W Ø 78 cm H 75 cm

W Ø 30.71" H 29.53"




10,5 kg

27.56 lbs



Fixing System Screw with 3 cables of 2 m - 78.74" or 5 m - 196.85" in Black or Alu color

BuzziChandelier plain



🔑 Ceiling Suspended

Cover in BuzziFelt with push snaps



3 metal suspension cables

Powder coated metal frame in Black (RAL 9005)

Black fabric power cord



W Ø 78 cm H 75 cm

W Ø 30.71" H 29.53"




10,5 kg

27.56 lbs



Fixing System Screw with 3 cables of 2 m - 78.74" or 5 m - 196.85" in Black or Alu color

BuzziChandelier plain printed



🔑 Ceiling Suspended

Cover in OffWhite BuzziFelt printed (outside) in Gold, Emperador or Carrara with push snaps



3 metal suspension cables

Powder coated metal frame in Black (RAL 9005)

Black fabric power cord



W Ø 78 cm H 75 cm

W Ø 30.71" H 29.53"



10,5 kg

27.56 lbs



Fixing System Screw with 3 cables of 2 m - 78.74" or 5 m - 196.85" in Black or Alu color

Composition

Ceiling canopy and power cord







Powder coated metal canopy in Black (RAL 9005)
Including mounting bracket
Height: 2,6 cm | 1.02"
Diameter: 12 cm | 4.72"

CFL Bulb




55 W 4 pin CFL Bulb with 2G11 base included
Not dimmable

Dimensions



Fabrics


Felt




Composition 100% Recycled P.E.T. Felt
Weight 1.000 g/m2 | 29.49 oz/yd2
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1+A1/2009
BS476 Part 6 and 7 Class 0
USA: ASTM E84 Class A certified
Fastness to light USA 5




Felt OffWhite Printed



Composition 100% Recycled P.E.T. Felt
Weight 1.000 g/m2 | 29.49 oz/yd2
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1+A1/2009
BS476 Part 6 and 7 Class 0
USA: ASTM E84 Class A certified
Fastness to light USA 5



Gold



Emperor



Carrara

FELT



BUZZIFELT
SLICED BUZZIFELT

BuzziFelt




FE-Anthracyte 68


Composition 100% Recycled PE.T. Felt, latex backing
Weight 1.000 g/m² | 29.49 oz/yd²
Width 170 cm | 66.93"
Thickness 6 mm | 0.236"
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Fastness to light USA 5
Maintenance Vacuum clean regularly. Don't wash. Don't remove the BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.




FE-Jeans 75



FE-StoneGrey 67



FE-LightBlue 60




FE-Curry 61




FE-OffWhite 63




FE-Mokka 74




FE-EcoBrown 58




FE-Lime 64



FE-Pink 65



FE-Orange 66




FE-Red 59

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space

Acoustics

BuzziChandelier

Equivalent sound absorption area in m² per object



Hz	Aeq/m²	Plain Aeq/m²
125	0,0	0,7
250	0,1	0,7
500	0,3	1
1000	0,6	1,2
2000	1,0	1,4
4000	1,4	1,6