

**Making
room for
new visions
of work**



OFFICE CATALOGUE 2018

Montana

Work spaces

Montana's workstations can be configured and tailored so they match a specific work-related or spatial need. The height-adjustable HiLow tables come with tabletops in many different colours, sizes and shapes – the series houses the opportunity to purchase extra components and accessories such as screens, plug-ins, cable trays and much more.

Die Arbeitsstationen von Montana lassen sich konfigurieren und maßgeschneidert anpassen, um dem spezifischen Arbeitsumfeld oder den räumlichen Ansprüchen zu entsprechen. Die höhenverstellbaren HiLow Tische sind mit Tischplatten in vielen verschiedenen Farben, Größen und Formen erhältlich – die Serie bietet Möglichkeiten, zusätzliche Komponenten und Accessoires wie Abschirmplatten, Plug-Ins, Kabelkanäle zu erwerben.



HiLow 2 table / Office unit / Shelving

A flexible storage solution.

Cargo and Office units offer specially designed personal storage based upon the contemporary and flexible workplace, furnished as a combination of personal and work-related storage.

Die Cargo- und Office-Einheiten bieten speziell entworfene, persönliche Aufbewahrungslösungen für den modernen und flexiblen Arbeitsplatz – eine Kombination aus privatem und arbeitsbezogenem Stauraum.





Standards of quality

All our products are developed and made in Denmark. We have over 160 employees under one roof, all applying their expertise in processing, painting and assembly. This ensures that our high standards of quality are maintained, and that everything is produced under conditions that respect our workforce and the world around us.

Alle unsere Produkte werden in Dänemark entwickelt und produziert. Wir haben unter einem Dach über 160 Mitarbeiter mit Sachverstand auf den Gebieten Verarbeitung, Lackierung und Montage. So gewährleisten wir, dass unsere hohen Qualitätsanforderungen erfüllt werden, und dass alles unter Bedingungen produziert wird, bei denen auf den einzelnen Mitarbeiter und unsere Umgebung Rücksicht genommen wird.





Product overview

11 basic modules 2 depths 42 colours

Design by Peter J. Lassen



Montana System CO16

Montana System CO16 is an interior design system that lives up to the requirements for flexible interior design in the modern office. The modules can be used in the workplace as storage units, or function as room dividers in a dynamic office environment.

Das Montana System CO16 ist ein Einrichtungssystem, das die Anforderungen an die flexible Einrichtung moderner Büros erfüllt. Die Module können als Stauraumlösung an Arbeitsplätzen oder als Raumteiler in einer dynamischen Bürolandschaft genutzt werden.

CO16 SHELVING COMPONENTS



Suspension rails
Aufhängebeschläge



Legs: Black / Snow / Chrome
Beine: Black / Snow / Chrome



Plinth: 3 cm
Sockel: 3 cm



Plinth: 7 cm
Sockel: 7 cm



Castors model CR
Rollen Modell CR



Castors model SR
Rollen Modell SR

CO16 SHELVING COMPONENTS



Trays
Tabletts



Drawers
Schubladen



Glass doors
Glastüren



Drawers for suspension files
Hängemappenschubladen



Doors
Türen



Doors
Türen

OFFICE UNITS



With pen tray, drawer and doors
Mit Stifthalter, Schublade und Türen



With pen tray, drawers and drawer for suspension files
Mit Stifthalter, Schubladen und Hängemappenschublade



With drawer and drawer for suspension files
Mit Schublade und Hängemappenschublade



With drawer and lockable drawer for suspension files
Mit Schublade und Hängemappenschublade verschließbar



With shelves
Mit Böden



With pen tray, drawer and lockable drawer for suspension files
Mit Stifthalter, Schublade und Hängemappenschublade verschließbar

C A R G O



With open shelves, push-drawers and door with lock
Mit Böden, Push-Schubladen und Tür verschließbar



With open shelves and trays
Mit Böden und Tabletts

CO16 SHELVING ON CASTORS



With open shelves and trays
Mit Böden und Tablett




With drawers, door and drawer for suspension files
Mit Schubladen, Türen und Hängemappenschublade



With drawers, door and drawer for suspension files
Mit Schubladen, Türen und Hängemappenschublade



With sliding doors
Mit Schiebetüren




With open shelves
Mit Böden



With open shelves and doors
Mit Böden und Türen

CARGO


Design: Peter J. Lassen




The Cargo module is suited for creating a tranquil work-space at the individual workplace. The interior design of Montana Cargo is versatile. The module can also be supplied with a lock when used for personal storage. The unit is fitted with soft-close extension, which combined with two castors mounted under the shelving unit ensures stability and makes the unit easy to move.

All Montana Cargo standard units have handle-free push-to-open drawers and pen trays. The drawers are finished on the inside in white-pigmented solid wood with pen trays in white lacquered MDF. The drawers for suspension files are fitted with a suspension file insert. Doors, drawers and trays can be placed in the outer section.


Examples




70.4 x 104.6 cm




C2480 L/R




C2580 L/R




C2680 L/R



C2490 L/R



C2590 L/R



C2690 L/R

W: 80 cm

W: 90 cm

Signatures



Open module



Handle-free drawers




Trays


CO16 SHELVING UNITS ON CASTORS

Units

Castors can be mounted under all CO16 shelving units. Shown below are examples of mobile archives with CR castors, all with brakes. Units with a width of 121.7 cm are fitted with an extra castor in the middle and units with a width of 81.8 cm are fitted with a support rail.




121.7 x 104.6 cm




KH1201
EUR 1.110,-


81.8 x 104.6 cm




KN1201




KN1202 / KN2202



KN1203




KN1204 / KN2204




KN1205




KN1206




KN1207




KN1208



KN1209 / KN2209




KN1210




KN11SW


81.8 x 70.4 cm



PN1201



PN1202




PN1203 / PN2203



PN1204 / PN2204



PN1205




PN11SW

D: 38.8 cm

Drawer unit starting with KN12 has X drawers. Drawer unit starting with KN22 has PR drawers.

OFFICE UNITS

Design: Peter J. Lassen




Office units are available in depths of 47.6 cm in all lacquer colours. The module is fitted with four castors, all with brakes. All drawers are finished on the inside in white-pigmented solid wood and fitted with double ball bearings to allow 100% extension. Drawers for suspension files include suspension rails for suspension files and a counterweight. All pen tray drawers include pen trays. Office unit KR1202 is also available in depth 38 cm.


41.9 x 53.3 cm




QR1100




QR1201 / QR2201



QR1202 / QR2202




QR1203 / QR2203




QR1204 / QR2204


41.9 x 87.5 cm



MR1208




MR1209 / MR2209



MR1210 / MR2210

41.9 x 104.6 cm



KR1202

Drawer unit starting with QR12 has X drawers. Drawer unit starting with QR22 has PR drawers.

Colours & materials

Montana's employees are specialized in high quality surface processing. Montana works closely with suppliers when developing new types of lacquer and processing the surfaces in the best possible manner. After refining all edges and surfaces, Montana System CO16 is lacquered with an UV-hardener and polished. The lacquer does not contain formaldehyde, and the emissions of volatile organic compounds are reduced to a minimum which is below the threshold values of the EU's VOC directive. By using water-based lacquers, Montana protects the outer environment from compounds and contributes to a better indoor environment at home and at the workplace.

Montana lacquer is a strong water-based lacquer containing a UV-initiator that creates cross-links in the lacquer film. This process provides a hard and durable surface and is lightproof as well as resistant to mechanical and chemical impacts.

Montanas Mitarbeiter sind Spezialisten für Oberflächenbehandlung von hoher Qualität. Montana arbeitet eng mit den Lieferanten bei der Entwicklung neuer Lacktypen und der optimalen Bearbeitung von Oberflächen zusammen. Nach der Feinarbeit erhalten alle Kanten und Flächen des Montana Systems CO16 ihre Grundlackierung mit UV-härtendem Lack und anschließendem Feinschliff. Bei Montanas Oberflächenlack handelt es sich um einen wasserbasierten hochwiderstandsfähigen Qualitätslack. Der Lack enthält kein Formaldehyd, und Ausdünstungen und Emissionen organischer Lösungsmittel sind auf ein Minimum reduziert, welche weit unter den Anforderungen der VOC-Richtlinie der EU liegen. Montana reduziert durch den Einsatz wasserbasierter Lacke die Belastung der Umwelt durch Lösungsmittel und trägt zu Hause und am Arbeitsplatz zu einem besseren Raumklima bei.

Beim Montana Compo Lack handelt es sich um eine feste Oberfläche aus Zweikomponenten-Wasserlack. Dieser härtet zu einer sehr widerstandsfähigen Oberfläche aus, die der Oberfläche von Montanas Strukturlacken vergleichbar ist. Compo ist ein lichtbeständiger und gegenüber mechanischen und chemischen Einwirkungen beständiger Lack.

Colours and materials

Montana lacquer colours / Montana Lackfarben

Please note that the printed colours may vary from the original colour.
Bitte beachten Sie, dass die abgedruckten Farben von der Originalfarbe abweichen können.

BLACK ZONE



02

Fjord



100

Graphic



04

Anthracite



36

Coal



65

Black Snow



05

Black

WHITE ZONE



101

New White



102

New White Gloss



38

Snow



01

White



103

Frost



09

Nordic

URBAN NATURE



104

Milk



105

Lounge



106

Latte



35

Coffee



107

Air



108

Green Tea

CANDY



109

Lemon Drop



110

Peach



111

Candy Floss



112

Violetta



113

Peppermint



114

Pistachio

COCO



215

Boulevard



216

Cabernet



217

Moulin Rouge



218

Montparnasse



219

Royale



220

Botanique

GLOBAL



121

Madras



48

Burma



10

China Red



122

Rio



123

Marocco



124

Amazonas

MANGA



125

Tokyo Yellow



126

Yoko Orange



127

Zen Red



128

Ginza Pink



129

Kyoto Blue



130

Umami Green

VENEERS



133

Black Oak



132

Burned Oak



131

White Oak

CO16 components

Design: Peter J. Lassen



A wealth of components allow you to assemble your own personal Montana System CO16, so that it meets your needs and those of your company. Start with the basic units and build your shelving from scratch, or give a ready-made shelving unit extra functionality with a matching component.



Shelves/partitions

Model	Depth	Lacquer	Model	Depth	Lacquer
Shelves/partitions 12 mm MDF in all lacquer finish colours.					
 18X	*18		 14X	*14	
	38			38	
	46			46	
 12X	*12		 7X	*7	
	38			38	
	46			46	
 6X	*6				
	38				
	46				
Protective sheets in plastic for shelves To protect against damage from binders. The protective sheet is transparent and is placed loose on the shelf. It is adjustable to fit shelves in open units and behind doors.					
 PLAS14	*14		 PLAS12	*12	
	38			38	
	46			46	
 PLAST8	*8		 PLAST7	*7	
	38			38	
	46			46	
Magazine shelf Inclined shelf for magazines and brochures. Available in all Montana lacquer colours. The top of the shelf is mounted on two pegs. The bottom rests on the bottom of the unit or a fixed shelf.					
 7T	*7				
	*6				
	38				



Tray

Model	Depth	Lacquer	Model	Depth	Lacquer
Tray 71: H: *1. Tray: 12 mm lacquered MDF. Base: 3.2 mm MDF. Mounted on white or black plastic tray runners, fixed in the punched holes. Trays can be completely removed from the module.					
*7					
*1	38			38	
	46			46	
71					

Drawers

Model	Depth	Lacquer	Model	Depth	Lacquer
Drawers CO16 Internal dimensions: 71X: H: *1. Pen tray H: 1.9 cm 72X: H: *2. B: 30.1 cm x H: 6.5 cm x D: (38.8) 30.1 cm, (47.6) 38.9 cm 73X: H: *3. B: 30.1 cm x H: 12.2 cm x D: (38.8) 30.1 cm, (47.6) 38.9 cm					
*7			*7		
*1	38		*2	38	
	46			46	
71X			72X		
*7					
*3	38				
	46				
73X					

4-sided drawer front in white-pigmented beech. The drawer has 100% extension, self-close mechanism and soft-close. Incl. pull-out barrier.
 Additional price for coloured handles.
 CO16 drawers can be fitted with a central locking L3.

Suspension file drawer CO16

Drawers are supplied in all colours. The drawer includes rail for suspension files.
 Internal dimensions: 76X: H: *6. W: 30.1 cm x H: 27.5 cm x D: (38.8) 30.1 cm, (47.6) 38.9 cm.
 4-sided drawer front in white-pigmented beech. The drawer has 100% extension, self-close mechanism and soft-close. Incl. pull-out block.
 CO16 drawers can be fitted with a central locking L3.
 Additional price for coloured knobs.

*7					
*6	38			38	
	46			46	
76X					

Drawers project

Internal dimensions:
 71PR: H: *1. Pen tray H: 1.9 cm
 72PR: H: *2. W: 35.4 cm x H: 7.6 cm x D: (38.8) 31.3 cm, (47.6) 40.1 cm
 73PR: H: *3. W: 35.4 cm x H: 13.3 cm x D: (38.8) 31.3 cm, (47.6) 40.1 cm
 3-sided drawer front in white-pigmented beech. The drawer has 100% extension, self-close mechanism and soft-close.

Project drawers can be fitted with lock L1. Additional price for coloured knob.

*7			*7		
*1	38		*2	38	
	46			46	
71PR			72PR		



Drawers

Model	Depth	Lacquer	Model	Depth	Lacquer
*7 *3  73PR	38 46				
Suspension file drawer, project Internal dimensions: 76PR: H: *6. W: 32.5 cm x H: 28.6 cm x D: (38.8) 31.3 cm, (47.6) 40.1 cm. 3-sided drawer front in white-pigmented beech. The drawer has 100% extension, self-close mechanism and soft-close. Project drawers can be fitted with lock L1. Additional price for coloured knobs.					
*7 *6  76PR	38 46				
Drawers for shelf units with sliding doors Internal dimensions: 72BSD: H: *2. B: 35.4 cm x H: 7.6 cm x D: (38.8) 31.3 cm, (47.6) 40.1 cm 73BSD: H: *3. B: 35.4 cm x H: 13.3 cm x D: (38.8) 31.3 cm, (47.6) 40.1 cm Drawer side in white-pigmented beech. The drawer has 100% extension. Drawers for units with sliding doors cannot be fitted with a lock. The drawer is without handle.					
*7 *2  72BSD	38 46		*7 *3  73BSD	38 46	
Suspension file drawer for shelf units with sliding doors Internal dimensions: 76BSD: H: *6. B: 32.5 cm x H: 28.6 cm x D: (38.8) 31.3 cm, (47.6) 40.1 cm Drawer side in white-pigmented beech. The drawer has 100% extension. Drawers for units with sliding doors cannot be fitted with a lock. The drawer is without handle.					
*7 *6  76BSD	38 46				

Doors

Model	Lacquer	Model	Lacquer
Doors 16 mm MDF lacquered with water-based lacquer. Additional price for coloured handles. 76: H: *6 x W: *7 712L: H: *12 x W: *7 718L: H: *18 x W: *7			
*7 *6  76		*7 *12  712L	



Doors

Model		Lacquer	Model		Lacquer
*7 *18 718L					

Fitting components

Model	Depth	Lacquer	Model	Depth	Lacquer
-------	-------	---------	-------	-------	---------

Plinths

Plinths H: 3 cm. Plinths H: 7 cm.
A plinth is fitted with 4 adjusting screws, so it can be levelled before the units are placed on top.
The plinth is fitted with holes for connecting screws, enabling a row of plinths to be connected and stabilised laterally.

*21  C2107	38		*21  C2103	38	
*14  C1407	38 46		*14  C1403	38 46	
*7  C707	38 46		*7  C703	38 46	

Plinths in special height

Special heights: 7 - 46.8 cm. The price is the same for all depths.
SOKC21: for width *21
SOKC14: for width *14
SOKC7: for width *7
Plinths in special depths and widths are not available.

*21  SOKC21	30		*14  SOKC14	30	
*7  SOKC7	30				



Fitting components

Model	Depth	Lacquer	Model	Depth	Lacquer
Legs H: 12.6 cm. Matt chromed zinc. The legs come with height-adjustable feet up to 20 mm. Price for set of 4 legs. The legs can be mounted under units from width *7 to *21. For units in width *14, order support rail SSCO16. For units in width *21, order support rail SS100. Units *7 max. load 60 kg. Modules *14 and *21 max. load 75 kg. When ordering legs for a unit, there are bushes for mounting the legs.					
 MB126					
Laquered legs H: 12.6 cm. Lacquered zinc in all Montana frame colours: Snow and Black. The legs come with height-adjustable feet up to 20 mm. Price for set of 4 legs. The legs can be fitted under units from width *7 to width *21. For units in widths *14, order support rail SSCO16. For units in width *21, order support rail SS100. Units *7 max. load 60 kg. Units *14 and *21 max. load 75 kg. When ordering legs for a unit, there are bushes for mounting the legs.					
 MBL126					
Suspension rails OP12 – thickness 12 mm. Allows cabling behind the shelf unit. Suspension rail OP12 has screw fittings in the wall bracket to allow horizontal adjustment of the unit. The suspension rail also comes with adjustable spacer knobs which allow adjustment to the wall.					
 OP12					
Castors CR H: 9.2 cm. Plastic castor with brake and soft tracking surface. Available in grey/black or black/black. Price for a set of 4. All 4 castors are fitted with brakes. Units in width *12 with castors should be fitted with support rail SS60. Units in width *14 with castors should be fitted with support rail SSCO16. Units in width *21 are fitted with an extra castor in the middle. Mounted under the module, the castors can take a maximum load of 80 kg. D: 20 cm modules cannot be fitted with castors.					
 CR	Black				
	Grey				
Castors SRCO H: 7.8 cm. Plastic castors with brake and lacquered castor cover, available in all Montana lacquer colours. Price for a set of 4. All 4 castors are fitted with brakes. Units in width *12 with castors should be fitted with support rail SS60. Units in width *14 with castors should be fitted with support rail SSCO16. SRCO castors cannot be fitted under width *21 units. Mounted under the unit, the castors can take a maximum load of 70 kg. D: 20 cm units cannot be fitted with castors.					
 SRCO					



Fitting components

Model	Depth	Lacquer	Model	Depth	Lacquer
Castors CR70 H: 7 cm. Available in grey/black or black/black. Price for a set of 4. CR70 fits plinths of height 7 cm. 2 of the castors are fitted with brakes. Units in width *12 with castors should be fitted with support rail SS60. Units in width *14 or *21 with castors should be fitted with support rail SSC016. Mounted under the unit, the castors can take a maximum load of 80 kg. D: 20 cm units cannot be fitted with castors. CR70 castors cannot be fitted under width *21 units.					
 CR70	Black				
	Grey				
Castors SR H: 10.5 cm. Grey rubber SR castors with brake. Price for a set of 4. Units in width *12 with castors should be fitted with support rail SS60. Units in width *14 or *21 with castors should be fitted with support rail SSC016. Mounted under the unit, the castors can take a maximum load of 80 kg. D: 20 cm units cannot be fitted with castors.					
 SR					
Magnetic coupling for CO16 shelving units with castors The units are fitted with two powerful magnets at the top and two powerful magnets at the bottom of each side. Approx. 65 mm from top, front and rear edge. Electronic devices, mobile phones, watches, etc. should be kept at a distance of at least 15 cm from the magnets to avoid damage from the powerful strength of the magnets.					
 MAGKOB					
Support rail SS10: Fitted in open units in width *14 without vertical divider. The support rail comes in the same colours as the shelving units. Shelves/unit tops can withstand a load of max. 10 kg with a support rail. SSCO16: Fitted to shelving units in width *14 with castors. Fitted to shelving units in width *14 with legs. SS100: Fitted to shelving units of width *21 with legs. The support rail comes in the same colours as the shelving units.					
 SS10			 SSCO16		
 SS100					



Base units and castors

Model	Depth	L: 0<=84 cm	L: 85 <=124 cm	L: 125<=179 cm	L: 180<=240 cm	Model	Depth	L: 0<=84 cm	L: 85 <=124 cm	L: 125<=179 cm	L: 180<=240 cm
BAS22 - Waterbased lacquer Base sections are made in 22 mm MDF with rounded front and back edges and straight ends. Fitted with strong SR or CR castors. Prices excl. castors. Supplied as standard with SR castors. The centre of the castors is 45 mm from the short and long edges. With base units with a width of under 40 cm, there may be a risk of tipping. It is advisable to fix assemblies to base units directly in the base and to connect the units. In the interests of stability, the depth of the base should not be less than that of the units.											
 BAS22	0-40										
	41-60										
	61-90										
	91-120										
Castors for base units Length 0 – 69.6 cm: fitted with 4 castors. Max. load 75 kg. Length 69.6 – 180 cm: fitted with 5 castors. Max. load 125 kg. Length 180 – 240 cm: fitted with 6 castors. Max. load 150 kg. Placing a base unit on CR70 is not advisable. Legs on base units only for lengths 0–69.6 cm.											
 SR						 CR	Black				
							Grey				

Handles, locks and decals

Model			Model		
Handles G6: Aluminium or lacquered aluminium. Ø14 mm. G7: Montana knob with transparent sanded acrylic washer. L: 16 mm. Ø12 mm. Supplied as standard in aluminium. Available in all Montana lacquer colours. Please state colours when placing order.					
 G6	Alu		 G7	Alu	
	Lacquer			Lacquer	
Locks L1: For lacquered door/veneered door, PR drawers and Cargo (with built-in handle). Available with different lock/serial numbers. When reordering, please specify the lock/serial number. For a lock L1 to be mounted in a drawer, a shelf/unit top must be fitted above the drawer. L3: Central locking. May be mounted in all X-drawers, except 71X (pen tray) D: 38 cm. Available with different lock/serial numbers. When ordering, please specify the lock/serial number. Not sold seperately.					
 L1			 L3		



Handles, locks and decals

Model			Model		
Accessories for latches SK1: Service key. Use to replace the lock cylinder. LK: Loose core. MK1: Master key. Opens locks having any lock code. KEY: Extra key.					
					
SK1			LK		
					
MK1			KEY		
Lock for sliding doors L6: System lock which locks both sliding doors. Locked by pushing the core and turning it.					
					
L6					
Decals for shelves, drawers and doors Aluminium L: 6 cm and H: 1 cm. G4: For fitting on shelf front G5: For fitting on drawers, trays and doors					
					
G4			G5		

Tops, 16 mm

Model	Depth	L: 0<>84 cm	L: 85<>124 cm	L: 125<>179	L: 180<>240	L: 241<>300	Model	Depth	L: 0<>84 cm	L: 85<>124 cm	L: 125<>179	L: 180<>240	L: 241<>300
		Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer			Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer
Tops, 16 mm Type A: Both end edges straight. Type B: Both end edges rounded. Type C: 1 straight end edge/1 rounded end edge. Type D: Oval shape (at additional price).													
Please note: The edges are MDF, which is stained to match the surface colour selected. When a top section has to cover several units, an extra 1 mm is calculated per unit.													
 TOP16	4-40		391		633								
	41-60		476		784								
	61-90		599		994								
	91-120		723		1205								



Tops, 16 mm

Model	Depth	L: 0<>84 cm	L: 85<>124 cm	L: 125<>179	L: 180<>240	L: 241<>300	Model	Depth	L: 0<>84 cm	L: 85<>124 cm	L: 125<>179	L: 180<>240	L: 241<>300
		Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer			Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer	Laminate Linoleum or Veneer
Joined with tongue and groove													
Additional price.													
To join two panels, order one SAMNOT.													
		63											
SAMNOT													

Tops, 12 mm glass

Model	Depth	L: 0<>84 cm	L: 85 <>124 cm	L: 125<>179 cm	L: 180<>240 cm	L: 241<>300 cm	Model	Depth	L: 0<>84 cm	L: 85 <>124 cm	L: 125<>179 cm	L: 180<>240 cm	L: 241<>300 cm
Tops, 12 mm clear glass (low-iron) Front and back edges: rounded. End edges: straight. When a top section has to cover several units, an extra 1 mm is calculated per unit.													
 TOP12G	0-40												
	41-60												
	61-90												
	91-120												
Tops, 12 mm clear glass, painted (low-iron) Front and rear edges: rounded. End edges: straight. When a top section has to cover several units, an extra 1 mm is calculated per unit.													
 TOP12G	0-40												
	41-60												
	61-90												
	91-120												