

## Ambiente K


Ambiente K was created as a result of cooperation between the CHORS brand and Piotr Kalinowski (MIXD). There is no doubt that it draws attention from the first sight as a beautiful decoration of the interior. It could easily replace a painting or sculpture while providing delicate, pleasant and very atmospheric light which can be dimmed or connected to your electrical socket in the cable version.

APPLICATION: Complementary and decorative lighting. It will perfectly complement the atmosphere of a bedroom, sitting room, or a hallway, as well as an o ce, club, gallery, or a


LUMINOUS FLUX IS SHOWN AS THE VALUE FROM THE LED

Ø 200	<u> </u>		123	
Ø 300 (	$\mathcal{A}^{\mathcal{O}}$		906	
Ø 250		)		1404
POWER SUPPL	y +			


	INDEX	SOURCE / OUTPUT	ENERGY GRADE	LUMINOUS FLUX	ANGLE	LIGHT COLOUR	DIMMING	POWER SUPPLY
MBIENTE A K W	28.2101.996.	3 x LED 6 W	A++	3 x 428 lm	>90°	2700 K CRI≥95	TRIAC	230 V 50 Hz
MBIENTE A K NW	28.2101.997.	3 x LED 6 W	A++	3 x 474 lm	>90°	3000 K CRI≥95	TRIAC	
MBIENTE A K N	28.2101.998.	3 x LED 6 W	A++	3 x 543 lm	>90°	4000 K CRI≥95	TRIAC	



AMBIENTE B K W	28.2102.996.	3 x LED 6 W	A++	3 x 428 lm	>90°	2700 K CRI≥95	TRIAC	230 V 50 Hz
AMBIENTE B K NW	28.2102.997.	3 x LED 6 W	A++	3 x 474 lm	>90°	3000 K CRI≥95	TRIAC	
AMBIENTE B K N	28.2102.998.	3 x LED 6 W	A++	3 x 543 lm	>90°	4000 K CRI≥95	TRIAC	



AMBIENTE A I K W	28.2103.996.	3 x LED 6 W	A++	3 x 428 lm	>90°	2700 K CRI≥95	NO	230 V 50 Hz
AMBIENTE A I K NW	28.2103.997.	3 x LED 6 W	A++	3 x 474 lm	>90°	3000 K CRI≥95	NO	
AMBIENTE A I K N	28.2103.998.	3 x LED 6 W	A++	3 x 543 lm	>90°	4000 K CRI≥95	NO	



AMBIENTE B I K W	28.2104.996.	3 x LED 6 W	A++	3 x 428 lm	>90°	2700 K CRI≥95	NO	230 V 50 Hz
AMBIENTE B I K NW	28.2104.997.	3 x LED 6 W	A++	3 x 474 lm	>90°	3000 K CRI≥95	NO	
AMBIENTE B I K N	28.2104.998.	3 x LED 6 W	A++	3 x 543 lm	>90°	4000 K CRI≥95	NO	





