

---

# BuzziPlanter

## Product Specification Sheet

---

This document contains technical  
information about the BuzziPlanter

---



[www.buzzi.space](http://www.buzzi.space)



**BuzziPlanter divides open spaces into green, silent microenvironments.**

Built with a thick layer of high-density foam and finished off with a layer of fabric, it helps absorb excessive sound, thus creating calm, peaceful areas where it’s nice to sit, gather, work and relax.

BuzziPlanter comes in 6 sizes. The bigger, the more sound-absorbing. The pots have a built-in plastic container, making it suitable for both real and artificial plants. Thanks to a wide variety of colors it easily fits any decor.

Design by BuzziSpace Studio

---

**General**

-  BuzziPlanter 45 | 45 Long | 80
-  Filling: Acoustic foam + Plywood, MDF
-  Dry use
-  Free standing

---

**Acoustics**

- 

Absorption
- 

Diffusion
- 

Low tone
- 

Mid tone
- 

High tone


---

**Content**

|                |    |
|----------------|----|
| Configurations | 3  |
| Components     | 4  |
| Fabrics        | 5  |
| Dimensions     | 8  |
| Acoustics      | 11 |

# Configurations

## BuzziPlanter 45



S | M | L



Filling: Acoustic foam + Plywood, MDF

Baseplate: Black MDF with plastic Feet



S: Height 47 cm      Width 45 cm  
Height 18.50"      Width 17.72"

M: Height 77 cm      Width 45 cm  
Height 30.31"      Width 17.72"

L: Height 107 cm      Width 45 cm  
Height 42.13"      Width 17.72"



S: 7,5 kg | 16.53 lbs


M: 11 kg | 24.25 lbs

L: 12 kg | 26.46 lbs



Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero, Tonus 4, Memory 2

## BuzziPlanter 45 Long



S | M



Filling: Acoustic foam + Plywood, MDF

Baseplate: Black MDF with plastic Feet



S: Height 47 cm      Width 120 cm      Depth 45 cm  
Height 18.50"      Width 47.24"      Depth 17.72"

M: Height 77 cm      Width 120 cm      Depth 45cm  
Height 30.31"      Width 47.24"      Depth 17.72"




S: 19,5 kg | 42.99 lbs

M: 28,5 kg | 62.83 lbs



Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero, Tonus 4, Memory 2

## BuzziPlanter 80



S



Filling: Acoustic foam + Plywood, MDF

Baseplate: Black MDF with plastic Feet



S: Height 47 cm      Width 80 cm  
Height 18.50"      Width 31.50"



S: 15,5 kg | 34.17 lbs



Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero, Tonus 4, Memory 2

# Components

---


## Bottom



Bottom: Black MDF with plastic Feet

45: 4 plastic feet  
45 Long: 5 plastic feet  
80: 4 plastic feet

## Ring



Black MDF ring made out of 2 interlocking parts

## Container



Black Plastic Container

45: 1x 12L Container  
45 Long: 3x 12L Containers  
80: 1x 90L Container


45: Width Ø 31,5 cm Height 23 cm  
Width Ø 12.40" Height 9.06"  
45 Long: Width Ø 31,5 cm Height 23 cm  
Width Ø 12.40" Height 9.06"  
80: Width Ø 67 cm Height 35 cm  
Width Ø 26.38" Height 13.78"

# Dimensions


## BuzziPlanter 45

Small

Top




Side




Medium

Top




Side




Large

Top



Side




---


# BuzziPlanter 45 Long

Small

Top




Side




Medium

Top



Side




---


# BuzziPlanter 80

Small

Top




Side



# Acoustics

## BuzziPlanter

Equivalent sound absorption area in m<sup>2</sup> per object



| Hz   | 45 Long S<br>Aeq/m² | 45 Long M<br>Aeq/m² | 80 S<br>Aeq/m² |
|------|---------------------|---------------------|----------------|
| 125  | 0.81                | 1.93                | 0.63           |
| 250  | 1.47                | 2.32                | 1.08           |
| 500  | 1.54                | 2.33                | 1.51           |
| 1000 | 1.64                | 2.53                | 1.49           |
| 2000 | 1.62                | 2.42                | 1.39           |
| 4000 | 1.55                | 2.37                | 1.37           |












Fabric



FA-LightGrey  
1000

**Composition** 75% Recycled Wool, 25% Recycled Polyacryl,  
**Weight** 405 g/m² | 11.94 oz/yd²  
**Width** 148 cm | 58.27”  
**Thickness** 0,8 mm | 0.031 inch  
**Abrasion resistance** 40.000 Martindale, 50.000 Wyzenbeek  
**Flammability** EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)  
EN 1021.2/2006 | BS EN 1021.2/2006 (match)  
USA: CAL TB 117 | ASTM E84 CLASS A  
**Fastness to light** EU: 4 | USA: 4  
**Fastness to rubbing** EU: Wet 3-4 | Dry 4-5  
**Fastness to crocking** USA: Wet 5 | Dry 5  
**Maintenance** Vacuum clean regularly. Don’t wash. Don’t remove the Fabric from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



|                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |    |                                                                                       |
| FA-Kiesel<br>7                                                                        | FA-Ivory<br>101                                                                       | FA-Naturel<br>1                                                                       | FA-Beige<br>1037                                                                      | FA-Dolphin<br>180                                                                     | FA-Shitake<br>124                                                                     | FA-DarkBrown<br>18                                                                    |                                                                                       |
|   |   |   |   |   |   |   |                                                                                       |
| FA-Rust<br>29                                                                         | FA-Taupe<br>1008                                                                      | FA-Mint<br>50                                                                         | FA-Azure<br>144                                                                       | FA-Olive<br>53                                                                        | FA-Army<br>14                                                                         | FA-Zwart<br>1003                                                                      |                                                                                       |
|  |  |  |  |  |  |  |                                                                                       |
| FA-MidGrey<br>1001                                                                    | FA-Blue<br>45                                                                         | FA-Petrol<br>56                                                                       | FA-Purple<br>78                                                                       | FA-Aubergine<br>74                                                                    | FA-Prune<br>76                                                                        | FA-Fuchsia<br>77                                                                      |                                                                                       |
|  |  |  |  |  |  |  |                                                                                       |
| FA-Violet<br>72                                                                       | FA-Navy<br>1007                                                                       | FA-Indigo<br>90                                                                       | FA-LightBlue<br>41                                                                    | FA-Aqua<br>143                                                                        | FA-OceanBlue<br>147                                                                   | FA-Pistache<br>52                                                                     |                                                                                       |
|  |  |  |  |  |  |  |                                                                                       |
| FA-Yellow<br>24                                                                       | FA-Red<br>2011                                                                        | FA-Fire<br>139                                                                        | FA-Mandarin<br>129                                                                    | FA-Orange<br>2012                                                                     | FA-Pink<br>73                                                                         | FA-Bottle<br>61                                                                       |                                                                                       |
|  |  |  |  |  |  |  |  |
| FA-Grass<br>59                                                                        | FA-Lila<br>39                                                                         | FA-Camel<br>56                                                                        | FA-Electric<br>16                                                                     | FA-Jade<br>42                                                                         | FA-Autumn<br>33                                                                       | FA-Mustard<br>63                                                                      | FA-Silver<br>57                                                                       |

**Note** color deviation may occur.  
Find the latest update of the material specifications and colors on our website: [www.buzzi.space](http://www.buzzi.space)

CAT A


FABRIC  
TREVIRA CS+  
TREVIRA CS  
REVIVE 1



# CAT A

FABRIC  
TREVIRA CS+  
TREVIRA CS  
REVIVE 1

## Trevira CS+ | Trevira CS



TRCS+ Hazy Mocca 9302

**Composition** 100% Polyester, Trevira CS  
**Weight** 420 g/m² | 12.39 oz/yd²  
**Width** Trevira CS+ 150 cm | 59.06" - Trevira CS 140 cm | 55.12"  
**Abrasion resistance** 100.000 Martindale, 90.000 Wyzenbeek  
**Flammability** EU: BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard  
M1 | B1 | C1 | EN 1021/1-2 | IMO Res. A652 (16)  
USA: CAL TB 117\*  
**Fastness to light** EU: 6 | USA: 5  
**Fastness to rubbing** EU: Wet 4-5 | Dry 4-5  
**Fastness to crocking** USA: Wet 5 | Dry 5  
**Match** Weight ±5% | Width ±2%  
**Maintenance** Vacuum clean regularly. Don't remove the Trevira CS+ | Trevira CS from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.




|                       |                        |                     |                        |                       |                      |                         |
|-----------------------|------------------------|---------------------|------------------------|-----------------------|----------------------|-------------------------|
|                       |                        |                     |                        |                       |                      |                         |
| TRCS Mocca 1029       | TRCS Berry 4017        | TRCS Orange 4030    | TRCS Hazy Orange 9404  | TRCS Red 4027         | TRCS+ Hazy Red 9405  | TRCS Yellow 3008        |
|                       |                        |                     |                        |                       |                      |                         |
| TRCS Hazy Yellow 9309 | TRCS Mustard 3019      | TRCS Pistache 7009  | TRCS+ Hazy Green 9704  | TRCS Hazy Jade 9703   | TRCS Jade 7020       | TRCS Hazy Pistache 9702 |
|                       |                        |                     |                        |                       |                      |                         |
| TRCS Hazy Ocean 9705  | TRCS Hazy Petrol 9602  | TRCS Petrol 6014    | TRCS+ Ocean 6091       | TRCS White 9106       | TRCS Cloud 8001      | TRCS+ Greige 1006       |
|                       |                        |                     |                        |                       |                      |                         |
| TRCS+ Grey 8009       | TRCS Rock 9804         | TRCS Hazy Grey 9107 | TRCS+ Hazy Greige 9211 | TRCS Sand 9212        | TRCS+ Clay 2006      | TRCS Hazy Clay 9217     |
|                       |                        |                     |                        |                       |                      |                         |
| TRCS Clay Black 9222  | TRCS Marble 9228       | TRCS Purple 9502    | TRCS Black 8033        | TRCS+ Anthracite 9805 | TRCS Grey Black 9803 | TRCS Fig 9503           |
|                       |                        |                     |                        |                       |                      |                         |
| TRCS Hazy Purple 9501 | TRCS Indigo Black 9604 | TRCS+ Indigo 6080   | TRCS Hazy Blue 9601    | TRCS Lavender 6006    | TRCS Blue 6075       | TRCS Blue Black 9603    |

\*Trevira CS and Trevira CS+ contain organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore these fabrics can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

**Note** color deviation may occur. Find the latest update of the material specifications and colors on our website: [www.buzzi.space](http://www.buzzi.space)

## Revive 1



Revive 1 144

**Composition** 100% recycled polyester FR  
**Weight** 430 g/lin.m  
**Width** 140 cm | 55.11"  
**Abrasion resistance** 60.000 Martindale rubs, EN ISO 12947  
**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1  
UNI 9175 1IM | US Cal. Tech. Bull. 117\*  
IMO A.652 (16)  
**Fastness to light** Note 5-7, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 5, wet 4-5  
**Pilling** Note 4-5, EN ISO 12945  
**Maintenance** Vacuuming and dry cleaning. Washable at max. 60°C. Drip drying.



|              |              |              |              |              |              |              |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
|              |              |              |              |              |              |              |
| Revive 1 154 | Revive 1 164 | Revive 1 184 | Revive 1 194 | Revive 1 224 | Revive 1 274 | Revive 1 284 |
|              |              |              |              |              |              |              |
| Revive 1 324 | Revive 1 384 | Revive 1 414 | Revive 1 424 | Revive 1 434 | Revive 1 454 | Revive 1 524 |
|              |              |              |              |              |              |              |
| Revive 1 534 | Revive 1 634 | Revive 1 664 | Revive 1 754 | Revive 1 764 | Revive 1 774 | Revive 1 834 |
|              |              |              |              |              |              |              |
| Revive 1 914 | Revive 1 944 | Revive 1 974 |              |              |              |              |

\*Revive 1 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

**Note** color deviation may occur. Find the latest update of the material specifications and colors on our website: [www.buzzi.space](http://www.buzzi.space)

# CAT A


FABRIC  
TREVIRA CS+  
TREVIRA CS  
REVIVE 1

## kvadrat




Clara 2

kvadrat




Clara 2  
144

**Composition** 92% new wool, 8% nylon  
**Weight** 400 g/lin.m  
**Width** 138 cm | 54.33"  
**Abrasion resistance** 80.000 Martindale rubs, EN ISO 12947  
**Flammability** EN 1021-1/2 | BS 5852, ignition source 2-3 | DIN 4102 B2  
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E  
NFPA 260 | IMO A.652(16)  
**Fastness to light** Note 5-7, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 4-5, wet 4  
**Pilling** Note 4, EN ISO 12945  
**Maintenance** Vacuuming and dry cleaning



Clara 2  
148




Clara 2  
184




Clara 2  
188



Clara 2  
244




Clara 2  
248




Clara 2  
273




Clara 2  
277



Clara 2  
384



Clara 2  
388



Clara 2  
423




Clara 2  
427



Clara 2  
544



Clara 2  
548



Clara 2  
643




Clara 2  
647



Clara 2  
793




Clara 2  
797




Clara 2  
884




Clara 2  
888




Clara 2  
933



Clara 2  
937



Clara 2  
983



Clara 2  
987

CAT B

CLARA 2  
REMIX 3  
VELVET

**Note** color deviation may occur.  
Find the latest update of the material  
specifications and colors on our website:  
[www.buzzi.space](http://www.buzzi.space)



CAT B

CLARA 2  
REMIX 3  
VELVET












Remix 3



Remix 3  
113

**Composition** 90% new wool, 10% nylon  
**Weight** 415 g/lin.m  
**Width** 138 cm | 54.33"  
**Abrasion resistance** 100.000 Martindale rubs, EN ISO 12947  
**Flammability** EN 1021-1/2 | BS 5852 part 1  
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM  
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013  
NFPA 260 | IMO FTP Code 2010:Part 8  
**Fastness to light** Note 5-7, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 4-5, wet 4  
**Pilling** Note 4, EN ISO 12945  
**Maintenance** Vacuuming and dry cleaning








|                                                                                                       |                                                                                                       |                                                                                                       |                                                                                                        |                                                                                                         |                                                                                                         |                                                                                                         |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <br>Remix 3<br>123   | <br>Remix 3<br>126   | <br>Remix 3<br>133   | <br>Remix 3<br>136   | <br>Remix 3<br>152   | <br>Remix 3<br>163   | <br>Remix 3<br>173   |
| <br>Remix 3<br>183  | <br>Remix 3<br>196  | <br>Remix 3<br>223  | <br>Remix 3<br>233  | <br>Remix 3<br>242  | <br>Remix 3<br>252  | <br>Remix 3<br>266  |
| <br>Remix 3<br>276 | <br>Remix 3<br>286 | <br>Remix 3<br>296 | <br>Remix 3<br>326 | <br>Remix 3<br>346 | <br>Remix 3<br>356 | <br>Remix 3<br>362 |
| <br>Remix 3<br>373 | <br>Remix 3<br>383 | <br>Remix 3<br>406 | <br>Remix 3<br>412 | <br>Remix 3<br>422 | <br>Remix 3<br>433 | <br>Remix 3<br>443 |
| <br>Remix 3<br>452 | <br>Remix 3<br>516 | <br>Remix 3<br>536 | <br>Remix 3<br>543 | <br>Remix 3<br>566 | <br>Remix 3<br>606 | <br>Remix 3<br>632 |
| <br>Remix 3<br>612 | <br>Remix 3<br>632 | <br>Remix 3<br>643 | <br>Remix 3<br>653 | <br>Remix 3<br>662 | <br>Remix 3<br>672 | <br>Remix 3<br>682 |

**Note** color deviation may occur.  
Find the latest update of the material  
specifications and colors on our website:  
[www.buzzi.space](http://www.buzzi.space)

kvadrat


CAT B

CLARA 2  
REMIX 3  
VELVET

|                                                                                                         |                                                                                                         |                                                                                                         |                                                                                                         |                                                                                                         |                                                                                                         |                                                                                                         |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <br>Remix 3<br>686   | <br>Remix 3<br>692   | <br>Remix 3<br>716   | <br>Remix 3<br>722   | <br>Remix 3<br>733   | <br>Remix 3<br>743   | <br>Remix 3<br>753   |
| <br>Remix 3<br>762  | <br>Remix 3<br>773  | <br>Remix 3<br>783  | <br>Remix 3<br>796  | <br>Remix 3<br>816  | <br>Remix 3<br>823  | <br>Remix 3<br>836  |
| <br>Remix 3<br>842 | <br>Remix 3<br>852 | <br>Remix 3<br>866 | <br>Remix 3<br>873 | <br>Remix 3<br>906 | <br>Remix 3<br>912 | <br>Remix 3<br>923 |
| <br>Remix 3<br>933 | <br>Remix 3<br>942 | <br>Remix 3<br>954 | <br>Remix 3<br>962 | <br>Remix 3<br>973 | <br>Remix 3<br>982 | <br>Remix 3<br>996 |


CAT C  
HERO

Hero



Hero  
101

**Composition** 96% new wool, 4% nylon  
**Weight** 580 g/lin.m  
**Width** 140 cm | 55.11"  
**Abrasion resistance** 45.000 Martindale rubs, EN ISO 12947  
**Flammability** EN 1021-1/2 | DIN 4102 B2 | NF D 60 013  
UNI 9175 11M | US Cal. Bull. 117-2013 | NFPA 260  
IMO A.652 (16)  
**Fastness to light** Note 5-6, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 4-5, wet 4-5  
**Pilling** Note 3-4, EN ISO 12945  
**Maintenance** Vacuuming and dry cleaning.  
Washable at max. 30°C, wool programme. Drip drying.  
Mount covers in slightly wet condition



**Note** color deviation may occur.  
Find the latest update of the material  
specifications and colors on our website:  
[www.buzzi.space](http://www.buzzi.space)

kvadrat

Tonus 4



Tonus 4  
100

**Composition** 90% new wool, 10% Helanca  
**Weight** 665 g/lin.m  
**Width** 140 cm | 55.11"  
**Abrasion resistance** 100.000 Martindale rubs, EN ISO 12947  
**Flammability** EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2  
Önorm B1/Q1 | NF D 60 013 | UNI 9175 11M  
US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)  
**Fastness to light** Note 5-7, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 3-5, wet 3-5  
**Pilling** Note 3, EN ISO 12945  
**Maintenance** Vacuuming and dry cleaning



kvadrat

CAT D  
TONUS 4

CAT E

MEMORY 2

Memory 2

kvadrat



Memory  
116

**Composition** 100% Trevira CS  
**Weight** 700 g/lin.m  
**Width** 150 cm | 59.05”  
**Abrasion resistance**  
35.000 rubs acc. to the Martindale method, EN ISO 12947  
**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1  
NF D 60 013 | NF P 92 507 M1 | UNI 9175 1IM  
UNI 9177 classe 1 | US Cal. Tech. Bull. 117\*  
IMO A.652 (16)  
**Fastness to light** Note 5-8, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 4-5, wet 4-5  
**Pilling** Note 4, EN ISO 12945  
**Maintenance** Vacuuming and dry cleaning.  
Washable at max. 60°C.  
Drip drying.



Memory  
123



Memory  
143



Memory  
156



Memory  
176



Memory  
193



Memory  
213



Memory  
223



Memory  
236



Memory  
256



Memory  
453



Memory  
473



Memory  
613



Memory  
653




Memory  
673



Memory  
713



Memory  
793



Memory  
936



Memory  
953



Memory  
976

\* Memory 2 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

**Note** color deviation may occur. Find the latest update of the material specifications and colors on our website: [www.buzzi.space](http://www.buzzi.space)